



Spare parts for agricultural machinery



Content

About company	Page 4
Claas	Page 12
CNH	Page 34
John Deere	Page 41
Massey Ferguson	Page 48
Lemken	Page 49
Farmet	Page 58
Gaspardo	Page 59
Kinze	Page 67
Gerringhoff	Page 71
Amazone	Page 72
Horsch	Page 72
Betakompakt	Page 73
Vaderstad	Page 73
Heavy Parts	Page 74
Manitou	Page 74



Heavy Parts Original is the manufacturer of spare parts for European and American agricultural machinery brands. Heavy Parts offers a wide range of spare parts for grain harvesters and silos combines, soil cultivators and seeders.

All spare parts are made of quality materials, which undergo testing before being used for production.



Participation in exhibitions

**AGRI
TECHNICA**[®]
THE WORLD'S NO. 1

2017

WHERE INNOVATION MATTERS.

12-18 NOVEMBER, HANOVER, GERMANY PREVIEW DAYS 12/13 NOVEMBER



During the year, the Heavy Parts brand entered the world level and was presented at the world's largest exhibition Agritechnica 2017. The Heavy Parts stand was attended by representatives from different continents who appreciated Ukrainian product.

Production




The Heavy Parts workshops began mass production of spare parts at the end of 2016 and started to work in full force in 2017.

The production is located in Ukraine and the Czech Republic. Quality spare parts received instant positive feedback from buyers.

Production

During the year, many technological processes, that allowed to increase the range, were launched.

Heavy Parts managed to increase the range of production by about 500 items. About 20 thousand spare parts were manufactured during the year.



Production



All spare parts are made of quality materials which are thoroughly checked. Our production is the team of experienced specialists who work on the newest European equipment. We make identical to the original spare parts in accordance with all norms and standards.





Spare parts for agricultural machinery

Traction

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108VX, Dominator 128VX, Dominator 88VX, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 450

Characteristic

№ Heavy Parts	№ OE	Number of mounting holes (mm)	Mounting holes diameter (mm)	Length, L (mm)	Height, h (mm)	Thread	Width (mm)	Weight, W (kg)
629571-U10	629571.0	2	10	209	20	M12	20	0,2



Traction

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 118, Dominator 68, Dominator 78, Dominator 88, Dominator 98, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, HEAVY-PARTS ORIGINAL, 18' - 30', 3.90 AC, 3.9m, 4.50 AC, 4.5m, 4.5m (Folding), 4.5m HYDRO, 5.10 AC, 5.1m, 5.4m, 5.4m (Folding), 5.4m HYDRO, 6.0m, 6.0m HYDRO, 6.60 AC, 6.6m, 6.6m HYDRO, 7.50 AC, 7.5m, 7.5m HYDRO, 9.00 AC, 9.0m, 9.0m HYDRO, Vario 5.4, Vario 6.0, Vario 6.6, Vario 7.5, Vario Hydro 5.4, Vario Hydro 6.0, Vario Hydro 6.6, Vario Hydro 7.5

Characteristic

№ Heavy Parts	№ OE	Outside diameter, D (mm)	Length (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Length, L (mm)	Thread	Outside diameter, D1 (kg)	Thread length (mm)	Weight, W (kg)
644225-U10	644225.0	10	800	3	7,5	850	M26	74	32	0,9



Tensioner roller

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108VX, Dominator 128VX, Dominator 88VX, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 450

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
642489-U10	642489.0	10	61	8,5	0,02



Tensioner roller

Suitable for:

Claas: Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 88VX, Dominator 98VX, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Height, h (mm)	Weight, W (kg)
747239-U10	747239.0	37	90	19,5	17	0,52



Tensioner roller

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 58, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, MERCATOR, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, SENATOR, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32, 3.9m /soja/, 4.5m /soja/, 5.4m /soja/, 6.0m /soja/, 6.6m /soja/, 7.5m /soja/, 9.0m /soja/.

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Thread	Weight, W (kg)
773232-U10	773232.0	47	112	M12	1,1



Tensioner roller

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 58, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, MERCATOR, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, SENATOR, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32, HEAVY-PARTS ORIGINAL, 3.9m /soja/, 4.5m /soja/, 5.4m /soja/, 6.0m /soja/, 6.6m /soja/, 7.5m /soja/, 9.0m /soja/.

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Thread	Weight, W (kg)
773231-U10	773231.1	47	112	67	M12	1,1



Sprocket and bush (Forged)

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116/128CS, Commandor 228, Commandor 228 CS, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 108 S/SL, Dominator 108 SL MAXI, Dominator 108VX, Dominator 112, Dominator 112CS, Dominator 114, Dominator 114CS, Dominator 115, Dominator 116, Dominator 118, Dominator 118VX, Dominator 128, Dominator 128VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 II MTS, Lexion 420 MONTANA, Lexion 430, Lexion 430 EVOLUTION, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 EVOLUTION, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465 CAT, Lexion 466 CAT, Lexion 470, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 MTS, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 585 R, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Medion 320, Medion 330, Medion 340, Medion 350, Medion 360, Medion 370, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 360, Tucano 420, Tucano 430, Tucano 440, Tucano 450, Tucano 470

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Height, H (mm)
734986-U10	734986.1	50	134,5	15	2	8	67,6



Sprocket (Forged)

Suitable for:

Claas: Commandor 114, Commandor 114CS, Commandor 115, Commandor 115CS, Commandor 116, Commandor 116CS, Commandor 228, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 118, Dominator 38, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 96, Dominator 98, Medion 310, Medion 320, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, 4R70-SL, 4R75-S, 4R75-SL, 4R80-S, 4R80-SL, 5R70-SL, 5R75-S, 5R75-SL, 5R80-S, 5R80-SL, 5R90, 6R70, 6R75, 6R75-SL, 6R80, 6R80-SL, 6R90, 8R75, 8R80, MULTIMASTER, Multimaster 6R70, Multimaster 6R75, Multimaster 6R80, 3.0m, 3.9m, 3.9m /Soja/, 4.5m, 4.5m (Folding), 4.5m /Soja/, 5.1m, 5.1m /Soja/, 5.4m, 5.4m (Folding), 5.4m /Soja/, 6.0m, 6.0m /Soja/, 6.6m, 6.6m /Soja/, 7.5m, 7.5m /Soja/, 9.0m, 9.0m /Soja/, GPS /MKS, Sunspeed 12-70, Sunspeed 12-75.

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Height, H (mm)	Edge Diameter, De (mm)	Weight, W (kg)
503937-U10	503937.2	47	14	32,5	57,4	0,54





Spare parts for agricultural machinery

Sprocket (Forged)

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, DOMINATOR, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 58, Dominator 68, Dominator 68R, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, MEGA, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Mega 202, Mega 203, Mega 204

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, z (mm)	Height, H (mm)	Inner diameter, d (mm)	Width	Weight, W (kg)
503814-U10	503814.0	30	93,6	14	48	73,5	9,5	0,72



Sprocket (Forged)

Suitable for:

Claas: Commandor 114, Commandor 114CS, Commandor 115, Commandor 115CS, Commandor 116, Commandor 116CS, Commandor 228, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 118, Dominator 38, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 96, Dominator 98, Medion 310, Medion 320, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, 4R75-S, 4R80-S, 5R75-S, 5R80-S, MULTIMASTER, Multimaster 6R70, Multimaster 6R75, Multimaster 6R80, 3.0m, 3.9m, 3.9m/Soja/, 4.5m, 4.5m (Folding), 4.5m/Soja/, 5.1m, 5.1m/Soja/, 5.4m, 5.4m (Folding), 5.4m/Soja/, 6.0m, 6.0m/Soja/, 6.6m, 6.6m/Soja/, 7.5m, 7.5m/Soja/, 9.0m, 9.0m/Soja/, GPS / MKS, Sunspeed 12-70, Sunspeed 12-75,

Characteristic

Nº Heavy Parts	Nº OE	Profile height, Th (mm)	Number of teeth, z (mm)	Thread	Outside diameter, D (mm)	Thread length (mm)	Diameter of shaft (mm)	Weight, W (kg)
503995-U10	503995.1	13	14	M12	57	18	26	0,76



Sprocket (Forged)

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 68, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Height, H (mm)	Outside diameter, D (mm)	Weight, W (kg)
605134-U10	605134.0	25	17	2	8	24	42	0,44



Sprocket (Forged)

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 118, Dominator 130, Dominator 140, Dominator 150, Dominator 68, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 96, Dominator 98, Medion 310, Medion 320, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega II 202 II, Mega II 203 II, Mega II 204 II

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Height, H (mm)	Outside diameter, D (mm)	Weight, W (kg)
605421-U10	605421.1	25	20	2	8	24	42	0,6



Sprocket (Forged)

Suitable for:

Claas: Dominator 130, Dominator 140, Dominator 150, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z	Height, H (mm)	Weight, W (kg)
605481-U10	605481.0	30	23	35	1,2



Sprocke (Forged)

Suitable for:

Claas: Dominator 130, Dominator 140, Dominator 150, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, z (mm)	Height, H (mm)	Spline (mm)	Height, h	Weight, W (kg)
605484-U10	605484.0	30	92,8	17	35	35x10x4	8	0,575



Sprocket (Forged)

Suitable for:

Claas: Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Medion 310, Medion 320, Medion 330, Medion 340, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 430 Montana, Tucano 430 TYP 22, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Height, H (mm)	Height, h (mm)	Weight, W (kg)
682993-U10	682993.0	60	50	1	10	19,5	11,3	6,06



Sprocket (Forged)

Suitable for:

Claas: Commandor 116CS, Commandor 228 CS, Mega 208, Mega 218, Mega II 208 II, Mega II 218 II, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Outside diameter D1 (mm)	Height, H (mm)	Weight, W (kg)
639595-U10	639595.1	30	23	123,6	24	6,06



Sprocket (Forged)

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 118, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 78, Dominator 88, Dominator 98, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, HEAVY-PARTS ORIGINAL, 3.0m, 3.9m, 4.1m, 4.5m, 4.5m (Folding), 4.5m HYDRO, 5.1m, 5.4m, 5.4m (Folding), 5.4m HYDRO, 6.0m, 6.0m HYDRO, 6.6m, 6.6m HYDRO, 7.5m, 7.5m HYDRO, 9.0m, 9.0m HYDRO, Solo 3.7m, Solo 4.3m, Solo 4.5m, Solo 4.9m, Solo 5.4m, Solo 6.0m, Solo 6.6m, Solo 7.5m, Solo 9.0m, Vario 5.4, Vario 6.0, Vario 6.6, Vario 7.5, Vario Hydro 4.5, Vario Hydro 5.4, Vario Hydro 6.0, Vario Hydro 6.6, Vario Hydro 7.5, Vario Hydro 9.0, Vario Solo 10.5, Vario Solo 5.4, Vario Solo 6.0, Vario Solo 6.6, Vario Solo 7.5, Vario Solo 9.0

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, z (mm)	Height, H (mm)	Spline (mm)	Weight, W (kg)
645333-U10	645333.1	35	87,4	13/14	38,8	10x39	0,62



Sprocket (Forged)

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 68, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, z (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Height, H (mm)	Weight, W (kg)
645932-U10	645932.0	130	348	56	4	40	12	4,32





Spare parts for agricultural machinery

Sprocket (Forged)

Suitable for:

Claas: Commandor 116CS, Commandor 228 CS, Mega 208, Mega 218, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, z (mm)	Height, H (mm)	Weight, W (kg)
646126-U10	646126.1	25	19	24,3	0,56



Sprocket (Forged)

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 228CS, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, 3.0m, 3.9m, 4.1m, 4.5m, 4.5m (Folding), 5.1m, 6.0m, 6.6m, 7.5m, 9.0m

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Mounting holes diameter a (mm)	Mounting holes diameter b (mm)	Height, h (mm)	Weight, W (kg)
670145-U10	670145.2	85	56	12	2,5	12	5,48



Sprocket (Forged)

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 118, Dominator 38, Dominator 48, Dominator 48SP, Dominator 58, Dominator 58SP, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 80, Dominator 85, Dominator 86, Dominator 88, Dominator 96, Dominator 98, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, 3.0m, 3.9m, 4.1m, 4.5m, 5.1m, 6.0m, 6.6m, 7.5m, 9.0m

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Outside diameter, D (mm)	Outside diameter, D1 (mm)	Height, h (mm)	Weight, W (kg)
673309-U10	673309.1	47	15	83	57	30	0,34



Sprocket (Forged)

Suitable for:

Claas: Dominator 100, Dominator 105, Dominator 106, Dominator 38, Dominator 48, Dominator 58, Dominator 68, Dominator 76, Dominator 80, Dominator 85, Dominator 86, Dominator 96

Characteristic

Nº Heavy Parts	Nº OE	Thread (mm)	Number of teeth, Z (mm)	Weight, W (kg)
673329-U10	673329.1	M12	15	0,58



Sprocket

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116/128CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 58, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Outside diameter, D (mm)	Height, H (mm)	Height, h (mm)	Spline (mm)	Weight, W (kg)
674143-U10	674143.5	30	7	103	33	18	33x10x5	1,125



Sprocket

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 66, Dominator 76, Dominator 78, Dominator 80, Dominator 85, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, MEGA, Medion 310, Medion 320, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350 TYP 835, Mega 350 TYP 836, Mega 360 TYP 845, Mega 360 TYP 846, Mega 370 TYP 845, Mega 370 TYP 846, Mega II 202 II, Mega II 203 II, Tucano 320, Tucano 330, Tucano 340

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Outside diameter, D (mm)	Height, h (mm)	Spline (mm)	Height, H (mm)
674406-U10	674406.2	35	7	102	32	10x32x4	0,62



Sprocket

Suitable for:

Claas: Dominator 100, Dominator 105, Dominator 106, Dominator 38, Dominator 48, Dominator 48SP, Dominator 58, Dominator 58SP, Dominator 68, Dominator 76, Dominator 80, Dominator 85, Dominator 86, Dominator 96

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, Z (mm)	Mounting holes diameter a (mm)	Inner diameter, d (mm)	Height, H (mm)
670219-U10	670219.0	35	102	7	12,5	35	0,62



Sprocket

Suitable for:

Claas: CAT Lexion 450, CAT Lexion 460, CAT Lexion 465, CAT Lexion 560, CAT Lexion 570, Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 56, Dominator 58, Dominator 66, Dominator 68, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion 580 MTS, Lexion 600, Lexion II 410 II, Lexion II 430 II, MEGA, Medion 310, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 TYP 835, Mega 350 TYP 836, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 340, Tucano 430

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, Z (mm)	Height, H (mm)	Spline (mm)	Weight, W (kg)
678856-U10	678856.3	26	102	7	32	8x4x32	0,7



Sprocket

Suitable for:

Claas: CAT Lexion 450, CAT Lexion 460, CAT Lexion 465, CAT Lexion 560, CAT Lexion 570, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 II MONTANA, Lexion 420 MONTANA, Lexion 430, Lexion 430 II MONTANA, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 II MONTANA, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, MEGA, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Tucano 320, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, Z (mm)	Height, H (mm)	Spline (mm)	Weight, W (kg)
735895-U10	735895.0	35	153	11	31	10x3x31	1,46



Sprocket (Forged)

Suitable for:

Claas: CAT Lexion 450, CAT Lexion 460, CAT Lexion 465, CAT Lexion 485 R, CAT Lexion 560 R, CAT Lexion 570 R, LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, Z (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Height, H (mm)	Weight, W (kg)
735949-U10	735949.2	30	92,8	17	2	8	38	0,64





Spare parts for agricultural machinery

Sprocket (Forged)

Suitable for:

Claas: Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470, Lexion 470 MONTANA, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion 580 AUSTRALIA, Lexion 600, Lexion II 410 II, Lexion II 430 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, Z (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Height, H (mm)	Weight, W (kg)
748595-U10	748595.0	25	108,3	20	2	6	18,5	0,47



Sprocket (Forged)

Suitable for:

Claas: Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470, Lexion 470 MONTANA, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion 580 AUSTRALIA, Lexion 600, Lexion II 410 II, Lexion II 430 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, Z (mm)	Number of mounting holes (mm)	Mounting holes diameter (mm)	Height, H (mm)	Weight, W (kg)
748596-U10	748596.0	25	123,4	23	2	6	19	0,61



Sprocket (Forged)

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 58, Dominator 68, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, Z (mm)	Number of mounting holes (mm)	Thickness (mm)	Weight, W (kg)
753534-U10	753534.0	42	109	14	5	6	1,1



Sprocket (Forged)

Suitable for:

Claas: Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 TERRA, Lexion 460 II, Lexion 460 TERRA, Lexion 470, Lexion 470 MONTANA, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 570 MONTANA, Lexion 580, Lexion 580 R, Lexion 600, Lexion 630, Lexion 670, Lexion 750, Lexion 760, Lexion 770, Tucano 320, Tucano 340, Tucano 430, Tucano 430 Montana, Tucano 430 TYP 22, Tucano 450 TYP C32, Tucano 480

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, a (mm)	Number of teeth, b (mm)	Spline (mm)	Height, H (mm)	Weight, W (kg)
754009-U10	754009.0	35	99,5	15	13	2x10x40	38,7	0,9



Sprocket (Forged)

Suitable for:

Claas: LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420 II MONTANA, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470, Lexion 470 MONTANA, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 585 R, Lexion 600, Lexion 630, Lexion 670, Lexion 750, Lexion 760, Lexion 770, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, a (mm)	Height, H (mm)	Weight, W (kg)
755422-U10	755422.0	40	251	16	45	4,71



Sprocket (Forged)

Suitable for:

Claas: Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470, Lexion 470 MONTANA, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion II 410 II, Lexion II 430 II

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Outside diameter, D (mm)	Height, H (mm)	Spline (mm)	Weight, W (kg)
757271-U10	757271.0	25	24	129	24	8x24	0,8



Sprocket (Forged)

Suitable for:

Claas: LEXION, Lexion 770, Lexion 760, Lexion 750, Lexion 600, Lexion 580 RAUSTRALIA, Lexion 730, CAT Lexion 560 R, CAT Lexion 590 R, Lexion 585 R, Lexion 595 R

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Number of teeth, Z (mm)	Outside diameter, D (mm)	Height, H (mm)	Spline (mm)	Weight, W (kg)
792765-U10	792765.1	35	29	147,7	40	10x40	0,8



Sprocket (Forged)

Suitable for:

Claas:Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 56, Dominator 58, Dominator 66, Dominator 68, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, MEGA, Medion 310, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 TYP 835, Mega 350 TYP 836, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 340, Tucano 430

Characteristic

Nº Heavy Parts	Nº OE	Number of teeth, Z (mm)	Outside diameter, D (mm)	Thread (mm)	Thread lenght (mm)	Diameter of shaft (mm)	Weight, W (kg)
809052-U10	809052.1	16	88,25	M12	20	24	0,56



Sprocket (Forged)

Suitable for:

Claas: CAT Lexion 450, CAT Lexion 475, CAT Lexion 475R, CAT Lexion 560, CAT Lexion 570, Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 58, Dominator 68, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 TYP 835, Mega 350 TYP 836, Mega 360, Mega 360 TYP 845, Mega 360 TYP 846, Mega 370, Mega 370 TYP 845, Mega 370 TYP 846, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 450

Characteristic

Nº Heavy Parts	Nº OE	Number of teeth, Z (mm)	Outside diameter, D (mm)	Inner diameter, d (mm)	Height, H (mm)	Weight, W (kg)
809053-U10	809053.0	16	88,25	47	22	0,34



Tension Chord

Suitable for:

Claas: LEX C1200/F1200, TYP 442

Characteristic

Nº Heavy Parts	Nº OE
359130-U10	359130.1





Spare parts for agricultural machinery

Sprocket (Forged)

Suitable for:

Claas: Commandor 116CS, Dominator 106, Dominator 106 COA, Dominator 108 S/SL, Dominator 116CS, Dominator 118, Medion 310, Medion 320, Medion 330, Medion 340, Mega 208 AC, Mega 218, Mega 350, Mega 350 AC, Mega 360

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of teeth, a (mm)	Outside diameter, D1 (mm)	Spline (mm)	Height, H (mm)	Weight, W (kg)
642485-U10	642485.0	30	93,7	14	78	30x10x45	45	0,86



Sprocket

Suitable for:

Claas: DOMINATOR, DOMINATOR 80, DOMINATOR 85, DOMINATOR 100, DOMINATOR 105, DOMINATOR 76, DOMINATOR 86, DOMINATOR 96, DOMINATOR 106, DOMINATOR 38, DOMINATOR 48, DOMINATOR 58, DOMINATOR 68, DOMINATOR 78, DOMINATOR 88, DOMINATOR 98, DOMINATOR 108, DOMINATOR 118, DOMINATOR 130, DOMINATOR 140, MEGA, MEGA 202, MEGA 202 II, MEGA 218 II, COMMANDOR, COMMANDOR 112CS, COMMANDOR 114CS, COMMANDOR 115CS, COMMANDOR 228CS, MEGA 203, MEGA 208, MEGA 218, MEGA 203 II, MEGA 204 II, MEGA 208 II, MEGA 204, COMMANDOR 116CS

Characteristic

№ Heavy Parts	№ OE
670203-U10	670203.0



Spring

Suitable for:

Claas: Commandor 116CS, Dominator 106, Dominator 106 COA, Dominator 108 S/SL, Dominator 116CS, Dominator 118, Medion 310, Medion 320, Medion 330, Medion 340, Mega 208 AC, Mega 218, Mega 350, Mega 350 AC, Mega 360

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Wire diameter (mm)	Weight, W (kg)
661635-U50	661635.0	48	54	2,5	0,34



Spring

Suitable for:

Claas: DOMINATOR, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, MEGA, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 350 TYP 835, Mega 350 TYP 836, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 360 TYP 845, Mega 360 TYP 846, Mega 370, Mega 370 TYP 845, Mega 370 TYP 846, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Length (mm)	Wire diameter (mm)	Weight, W (kg)
661636-U50	661636.0	48	54	225	2,5	0,54



Spring

Suitable for:

Claas: VARIANT 180, VARIANT 180 RC, LEXION 450, LEXION 460, LEXION 465, LEXION 470, LEXION 480, LEXION 480 R, LEXION 475, LEXION 475 R, LEXION 485, LEXION 485 R, DOMINATOR 76, DOMINATOR 96, DOMINATOR 106, DOMINATOR 78, DOMINATOR 88, DOMINATOR 88 VX, MEGA 202, DOMINATOR 98, DOMINATOR 98 VX, MEGA 203, MEGA 204, DOMINATOR 108, DOMINATOR 118, DOMINATOR 108 VX, DOMINATOR 118 VX, MEGA 208, MEGA 218, DOMINATOR 68 R, DOMINATOR 68 SR, DOMINATOR 68, COMMANDOR 116 CS, COMMANDOR 228 CS, DOMINATOR 140, DOMINATOR 150, SPRINT 330 S, SPRINT 440 S, SPRINT 330 U, SPRINT 440 U, SPRINT 335 S, SPRINT 445 S, SPRINT 445 U, LEXION 405, LEXION 410, LEXION 415, LEXION 420, LEXION 430, LEXION 440, LEXION 450, LEXION 460, LEXION 450 TERRA, LEXION 460 TERRA, LEXION 480, LEXION 480 TERRA, LEXION II 470 MONTANA

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Length (mm)	Wire diameter (mm)	Weight, W (kg)
653793-U50	653793	48	54	225	2,5	0,54



Shaft

Suitable for:

Claas: Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 118, Mega 208, Mega 218

Characteristic

№ Heavy Parts	№ OE	Length, L (mm)	Diameter, a (mm)	Diameter, b (mm)	Spline, a (mm)	Spline, b (mm)	Weight, W (kg)
644167-U10	644167.2	1898	56	50	70x14x4	50x16	35



Shaft

Suitable for:

Claas: Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Length, L (mm)	Diameter (mm)	Outside diameter, D (mm)	Spline, a (mm)	Spline, b (mm)	Spline, c (mm)	Spline, d (mm)	Weight, W (kg)
600378-U10	600378.2	M16	48	1619	40	45	14x90	14x90	14x80	12x45x8	22



Shaft

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, MEGA, Medion 310, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 218 II, Mega 202 II, Mega 203 II, Mega 204 II, Mega 208 II, Mega 218 II

Characteristic

№ Heavy Parts	№ OE	Number of mounting holes	Mounting holes diameter, d (mm)	Length, L (mm)	Diameter of shaft, D (mm)	Diameter of shaft, D1 (mm)	Spline, (mm)	Weight, W (kg)
600641-U10	600641.0	2	6,2	294	26	25	39,5x8	1,16



Shaft

Suitable for:

Claas: CAT Lexion 450, CAT Lexion 460, CAT Lexion 465, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 68, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 430, Lexion 440, Lexion 450, Lexion 450 TERRA, Lexion 460, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 R, Lexion 480, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, MEGA, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 350 TYP 835, Mega 350 TYP 836, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Number of mounting holes	Mounting holes diameter, d (mm)	Length, L (mm)	Diameter of shaft, D (mm)	Diameter of shaft, D1 (mm)	Spline, (mm)	Weight, W (kg)
605127-U10	605127.1	1	8	292	26	25,8	3,5x8x32	1,16





Spare parts for agricultural machinery

Shaft

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 106, Dominator 108, Dominator 108VX, Dominator 114, Dominator 118, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, MEGA, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 TYP 835, Mega 350 TYP 836, Mega 360, Mega 360 TYP 845, Mega 360 TYP 846, Mega 370 TYP 845, Mega 370 TYP 846

Characteristic

Nº Heavy Parts	Nº OE	Outside diameter, D (mm)	Number of teeth, a (mm)	Mounting holes diameter a (mm)	Spline (mm)	Length, L (mm)	Weight, W (kg)
605729-U10	605729.0	25	1	8	31x8	105	0,36



Shaft (Forged)

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116, Commandor 116CS, Commandor 228, Commandor 228 CS, Dominator 108, Dominator 108 S/SL, Dominator 114CS, Dominator 118, Dominator 130, Dominator 68, Dominator 68 CAT, Dominator 68R, Dominator 68SR, Dominator 78, Dominator 78S, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 218 II, Mega 202 II, HEAVY-PARTS ORIGINAL, 3.0m, 3.9m, 4.1m, 4.5m, 5.1m, 6.0m, 6.6m, 7.5m, 9.0m

Characteristic

Nº Heavy Parts	Nº OE	Length, L (mm)	Diameter, a (mm)	Diameter, b (mm)	Spline a (mm)	Spline, b (mm)	Thread	Weight, W (kg)
645342-U10	645342.0	363	30	25	110x10x4	150x10	M12	1,86



Shaft

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 58, Dominator 58SP, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 80, Dominator 85, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, 3.0m, 3.9m, 4.1m, 4.5m, 4.5m (Folding), 5.1m, 5.4m, 5.4m (Folding), 6.0m, 6.6m, 7.5m, 9.0m, Vario 5.4, Vario 6.0, Vario 6.6, Vario 7.5, Vario Hydro 5.4, Vario Hydro 6.0, Vario Hydro 6.6, Vario Hydro 7.5

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Length, L (mm)	Outside diameter D (mm)	Outside diameter D1 (mm)	Diameter (mm)	Spline (mm)	Weight, W (kg)
670214-U10	670214.0	M16	224	29,9	30	25	135x10x5	0,9



Shaft

Suitable for:

Claas: Lexion 405, Lexion 410, Lexion 415, Lexion 420 II MONTANA, Lexion 420 MONTANA, Lexion 430, Lexion 430 II MONTANA, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 II MONTANA, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II

Characteristic

Nº Heavy Parts	Nº OE	Length, L (mm)	Outside diameter D (mm)	Outside diameter D1 (mm)	Spline (mm)	Spline (mm)	Weight, W (kg)
757105-U10	757105.0	300	35	25	10x30	8x50x4	1,36



Bearing and housing

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116/128CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118VX, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 MONTANA, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450 TYP C32, HEAVY-PARTS ORIGINAL, 3.9m, 4.5m, 5.4m, 6.0m, 6.6m, 7.5m, 9.0m, Solo 3.7m, Solo 4.3m, Solo 4.5m, Solo 4.9m, Solo 5.4m, Solo 6.0m, Solo 6.6m, Solo 7.5m, Solo 9.0m, Solo LEX C1200, Vario 5.4, Vario 6.0, Vario 6.6, Vario 7.5, Vario Hydro 5.4, Vario Hydro 6.0, Vario Hydro 6.6, Vario Hydro 7.5, Vario Solo 10.5, Vario Solo 5.4, Vario Solo 6.0, Vario Solo 6.6, Vario Solo 7.5, Vario Solo 9.0

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of mounting holes	Mounting holes diameter (mm)
603144-U10	603144.0	35	121	3	11
603144-US10	603144.0	35	121	3	11
6031440-U10	603144.0	72	121	3	11



6031440-U10



603144-U10

Bearing shell

Suitable for:

Claas: Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, MEGA, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 450.

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Number of mounting holes	Mounting holes diameter (mm)	Height, H (mm)	Weight, W (kg)
628736-U10	628736.0	46	143	4	13	43,5	1,4



Roller chain tensioner

Suitable for:

Claas: Dominator 130, Dominator 68, Dominator 68 CAT, Lexion 410, Lexion 420, Lexion 430, Lexion 430 EVOLUTION, Lexion 530, Lexion 540, Lexion 550, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 580, Lexion 580 MTS, Medion 310, Medion 320, Medion 330, Mega 204, Mega 204 AC

Characteristic

Nº Heavy Parts	Nº OE	Outside diameter, D (mm)	Number of mounting holes	Mounting holes diameter (mm)	Width, A (mm)	Length, L (mm)	Thread
680523-U10	680523.3	16	1	18	40,5	200	M16





Spare parts for agricultural machinery

Ring

Suitable for:

Claas: CAT Lexion 450, CAT Lexion 460, CAT Lexion 465, CAT Lexion 470, CAT Lexion 480, CAT Lexion 560, CAT Lexion 560 R, CAT Lexion 570, CAT Lexion 570 R, CAT Lexion 575, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 118, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 56, Dominator 58, Dominator 66, Dominator 68, Dominator 68 CAT, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 430, Lexion 430 EVOLUTION, Lexion 430 MONTANA, Lexion 440, Lexion 450, Lexion 460, Lexion 470, Lexion 480, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion 580 MTS, Lexion 600, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32, Jaguar 51, Jaguar 71, Jaguar 75

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Height, H (mm)	Weight, W (kg)
6290461-U10	629046.1	40	13	0,04



Ring

Suitable for:

Claas: CAT Lexion 450, CAT Lexion 460, CAT Lexion 465, CAT Lexion 470, CAT Lexion 480, CAT Lexion 560, CAT Lexion 560 R, CAT Lexion 570, CAT Lexion 570 R, CAT Lexion 575, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, DOMINATOR, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 118, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 56, Dominator 58, Dominator 66, Dominator 68, Dominator 68 CAT, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 430, Lexion 430 EVOLUTION, Lexion 430 MONTANA, Lexion 440, Lexion 450, Lexion 460, Lexion 470, Lexion 480, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion 580 MTS, Lexion 600, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32, Jaguar 51, Jaguar 71, Jaguar 75

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Height, H (mm)	Weight, W (kg)
6290472-U10	629047.2	45	13,2	0,04



Plate

Suitable for:

Claas: Lexion 460, Lexion 470, Lexion 470 II MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion 580 R AUSTRALIA, Lexion 585 R, Lexion II 470 II

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Thickness, T	Diameter (mm)	Weight, W (kg)
752810-U10	752810.0	40	126	33,2	105	1,32



Ball head

Suitable for:

Claas: Lexion 480 II MTS | Lexion 470 | Lexion 585 R | Lexion 600 | Lexion 580 | Lexion 470 II MONTANA | Lexion 580 R AUSTRALIA | Lexion 475 | LEXION | Lexion 480 R | Lexion 485 | Lexion 470 MONTANA | Lexion 580 R | Lexion 475 R | Lexion 480 II | Lexion 570 | Lexion 485 R | Lexion 480 TERRA | Lexion 460 | Lexion 450 | Lexion 560 R | Lexion II 470 II | Lexion 470 R | Lexion 480 | Lexion 570 MONTANA

Characteristic

Nº Heavy Parts	Nº OE
736714-U10	736714.1



Locking pin

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 68, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450, Lexion 460 II, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Outside diameter, D (mm)	Length, L (mm)	Thread	Thread length (mm)	Weight, W (kg)
680577-U10	680577.4	35	75	M16	31,7	0,18



Finger (Forged)

Suitable for:

Claas: LEX C1200, LEX F1200 (Soja)

Characteristic

№ Heavy Parts	№ OE	Length, L (mm)	Diameter, D (mm)
358344-U10	358344.1	275,5	16



Finger

Suitable for:

Claas: Lexion 560, Lexion 550, Lexion 540, Lexion 570, Lexion 580, Lexion 580 RAUSTRALIA, Lexion 600

Characteristic

№ Heavy Parts	№ OE
517943-U10	517943.2



Finger

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 68, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, 18° - 30°, 25° - 30°, 3.0m, 3.9m, 3.9m/Soja/, 4.1m, 4.5m, 4.5m (Folding), 4.5m/Soja/, 4.5m HYDRO, 5.1m, 5.1m/Soja/, 5.4m, 5.4m (Folding), 5.4m/Soja/, 5.4m HYDRO, 6.0m, 6.0m/Soja/, 6.0m HYDRO, 6.6m, 6.6m/Soja/, 6.6m HYDRO, 7.5m, 7.5m/Soja/, 7.5m HYDRO, 9.0m, 9.0m/Soja/, 9.0m HYDRO, Solo 3.7m, Solo 4.3m, Solo 4.5m, Solo 4.9m, Solo 5.4m, Solo 6.0m, Solo 6.6m, Solo 7.5m, Solo 9.0m, Vario 5.4, Vario 6.0, Vario 6.6, Vario 7.5, Vario Hydro 5.4, Vario Hydro 6.0, Vario Hydro 6.6, Vario Hydro 7.5

Characteristic

№ Heavy Parts	№ OE	Outside diameter, D (mm)	Length, L (mm)	Thread	Weight, W (kg)
648068-U10	648068.3	16	245	M16	0,38



Finger guide

Suitable for:

Claas: Mega 370 | Mega 218 | Lexion 450 | Lexion 580 | Commandor 114CS | Tucano 320 | Medion 340 | Tucano 330 | Lexion 570 MONTANA | Lexion II 420 II | Mega II 203 II | Dominator 86 | Lexion 550 | Mega 202 | Lexion 510 | Lexion 415 | Mega 350 | Dominator 96 | Dominator 108VX | Lexion 460 MTS II | Mega II 208 II | Commandor 115CS | Dominator 100 | Lexion 460 II | Commandor 228 CS | Dominator 48 | Dominator 98 | Dominator 105 | Lexion 450 TERRA | Lexion 550 MONTANA | Dominator 68SR | Lexion 560 | Dominator 150 | Lexion 440 | LEXION | Dominator 68 | Lexion 520 MONTANA | Dominator 106 | Lexion 405 | Commandor 116CS | Mega 208 | Lexion 540 | Dominator 78 | Lexion 480 II MTS | Dominator 130 | Dominator 76 | Dominator 85 | Dominator 108 | Dominator 80 | Lexion II 430 II | Lexion 520 | Lexion 410 | Lexion 600 | Lexion 450 II | Mega II 202 II | Lexion 440 II | Dominator 118 | Dominator 128VX | Lexion 530 | Mega 204 | Lexion 430 MONTANA | Lexion 430 | Lexion II 410 II | Lexion 420 II MONTANA | Lexion 450 MTS II | Dominator 58 | Dominator 38 | Lexion 480 TERRA | Mega II 218 II | Dominator 140 | Lexion 430 II MONTANA | Dominator 58SP | Mega 203 | Lexion 530 MONTANA | Dominator 98VX | Medion 330 | Mega 360 | Lexion 560 MONTANA | Medion 310 | Dominator 88VX | Dominator 88 | Mega II 204 II | Lexion 470 MONTANA | Lexion 460 TERRA | Dominator 48SP | Lexion 420 MONTANA | Commandor 112CS

Characteristic

№ Heavy Parts	№ OE
603754-U21	603754.2





Spare parts for agricultural machinery

Finger

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 58, Dominator 68, Dominator 76, Dominator 78, Dominator 80, Dominator 85, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Length, L (mm)	Height, H (mm)	Diameter (mm)	Thread	Thread length (mm)	Weight, W (kg)
609934-U10	609934.0	55	22	12	M12	12	0,06



Finger

Suitable for:

Claas: Commandor 116, Commandor 228, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 68, Dominator 68 CAT, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Lexion 530, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 580, Lexion 580 MTS, Medion 310, Medion 320, Medion 330, Medion 340, Mega 204, Mega 204 AC, Mega 208 AC, Mega 218

Characteristic

№ Heavy Parts	№ OE	Outside diameter, D (mm)	Number of mounting holes	Mounting holes diameter (mm)	Length, L (mm)	Diameter буртика, De	Weight, W (kg)
650857-U10	650857.2	10	1	4	110,3	20	0,07



Disk

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 58SP, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 585 R, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 206, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32, 4.5m (Folding), 5.4m (Folding)

Characteristic

№ Heavy Parts	№ OE	Inner diameter, D (mm)	Outside diameter, D (mm)	Thickness, T (mm)	Weight, W (kg)
678440-U10	678440.2	11	61	6	0,02



Disk

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 58, Dominator 68, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 330, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 360, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, D (mm)	Outside diameter, D (mm)	Profile height, Th (mm)
684336-U10	684336.1	11	61	12



Cabin filter

Suitable for:

Claas: CAT Lexion 450, CAT Lexion 460, CAT Lexion 465, CAT Lexion 470, CAT Lexion 470R, CAT Lexion 475, CAT Lexion 475R, CAT Lexion 480, CAT Lexion 480R, CAT Lexion 485, CAT Lexion 485 R, CAT Lexion 560, CAT Lexion 560 R, CAT Lexion 570 R, CAT Lexion 575, CAT Lexion 585, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 58SP, Dominator 68, Dominator 68 CAT, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 II MONTANA, Lexion 420 MONTANA, Lexion 430, Lexion 430 EVOLUTION, Lexion 430 II MONTANA, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 II MONTANA, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 580 R AUSTRALIA, Lexion 585 R, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 AC, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Jaguar 675, Jaguar 680, Jaguar 682, Jaguar 685, Jaguar 685 SL, Jaguar 690, Jaguar 690 SL, Jaguar 695 SL, Jaguar 800, Jaguar 810, Jaguar 820, Jaguar 830, Jaguar 830 T3 Profistar, Jaguar 840, Jaguar 850, Jaguar 850 Speedstar, Jaguar 850 T3 Profistar, Jaguar 8500, Jaguar 8500C, Jaguar 8550, Jaguar 860, Jaguar 870, Jaguar 870 FL, Jaguar 870 T3 Profistar, Jaguar 8700, Jaguar 880, Jaguar 890, Jaguar 890 Profistar, Jaguar 900, Jaguar 900 T3 Profistar, Xerion 2500, Xerion 3000, Xerion 3300 TRAC, Xerion 3300 TRAC VC

Characteristic

№ Heavy Parts	№ OE	Width, A (mm)	Length, L (mm)	Height, H (mm)	Weight, W (kg)
071525-U20	071525.1	130	550	250	0,52



Cabin filter

Suitable for:

Claas: AVERO 240, Lexion 620, Lexion 630, Lexion 640, Lexion 670, Lexion 730, Lexion 750, Lexion 760, Lexion 770, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 450, Jaguar 980, Xerion 3000

Characteristic

№ Heavy Parts	№ OE	Width, A (mm)	Height, H (mm)	Weight, W (kg)
559646-U20	559646.0	480	89	0,4



Cabin filter

Suitable for:

Claas: Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32, Jaguar 950, Jaguar 960, Jaguar 970, Jaguar 980, Xerion 3000, Xerion 3300 II, Xerion 3800

Characteristic

№ Heavy Parts	№ OE	Width, A (mm)	Length, L (mm)	Height, H (mm)	Weight, W (kg)
564698-U20	564698.2	88	480	360	0,05



Bushing (Forged)

Suitable for:

Claas: Tucano 450, Tucano 440, Tucano 430, Tucano 340, Tucano 330, Tucano 320, SF, SENATOR, PROTECTOR, MERCUR, MERCATOR, Mercator S75, Mercator S70, Mercator 60, Mercator 50, MEGA, Mega II 218 II, Mega II 208 II, Mega II 204 II, Mega II 203 II, Mega II 202 II, Mega 370, Mega 370 TYP 846, Mega 370 TYP 845, Mega 360, Mega 360 TYP 846, Mega 360 TYP 845, Mega 360 SKD, Mega 360 REIS, Mega 350, Mega 350 TYP 836, Mega 350 TYP 835, Mega 350 SKD, Mega 218, Mega 208, Mega 204, Mega 203, Mega 202, Medion 340, Medion 330, Medion 330 HYDRO, Medion 320, Medion 310, Matador Standard, Matador Gigant, Lexion II 430 II, Lexion II 410 II, Lexion 600, Lexion 580, Lexion 570 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 550 MONTANA, Lexion 540, Lexion 530, Lexion 530 MONTANA, Lexion 520 MONTANA, Lexion 510, Lexion 480 TERRA, Lexion 480 II MTS, Lexion 470 MONTANA, Lexion 460 TERRA, Lexion 460 MTS II, Lexion 460 II, Lexion 450 TERRA, Lexion 450 MTS II, Lexion 440, Lexion 430, Lexion 430 MONTANA, Lexion 420 MONTANA, Lexion 415, Lexion 410, Lexion 405, Europa, DOMINATOR, Dominator 98VX, Dominator 98, Dominator 96, Dominator 88VX, Dominator 88, Dominator 86, Dominator 85, Dominator 80, Dominator 78, Dominator 76, Dominator 68SR, Dominator 68R, Dominator 68, Dominator 66, Dominator 58SP, Dominator 58, Dominator 56, Dominator 48SP, Dominator 48, Dominator 38, Dominator 150, Dominator 140, Dominator 130, Dominator 128VX, Dominator 118VX, Dominator 118, Dominator 108VX, Dominator 108, Dominator 106, Dominator 105, Dominator 100, Cosmos, CORSAR, CONSUL, Compact 30, Compact 25, Compact 20, Commandor 228 CS, Commandor 116CS, Commandor 115CS, Commandor 114CS, Commandor 112CS, Comet, Columbus

Characteristic

№ Heavy Parts	№ OE	Inner diameter, D (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
060015-U10	060015.0	10	30	10	0,025





Spare parts for agricultural machinery

Bushing (Forged)

Suitable for:

Claas: CONSUL, CORSAR, Columbus, Comet, Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Compact 20, Compact 25, Compact 30, Cosmos, DOMINATOR, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 38, Dominator 48, Dominator 48SP, Dominator 56, Dominator 58, Dominator 58SP, Dominator 66, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 76, Dominator 78, Dominator 80, Dominator 85, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Europa, Lexion 405, Lexion 410, Lexion 415, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470 MONTANA, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, MEGA, MERCATOR, MERCUR, Matador Gigant, Matador Standard, Medion 310, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 TYP 835, Mega 350 TYP 836, Mega 360, Mega 360 TYP 845, Mega 360 TYP 846, Mega 370, Mega 370 TYP 845, Mega 370 TYP 846, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Mercator 50, Mercator 60, Mercator 570, Mercator 575, PROTECTOR, SENATOR, SF, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 450

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
060016-U10	060016.0	10	30	10	0,027




Bushing

Suitable for:

Claas: DOMINATOR, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 56, Dominator 66, Dominator 76, Dominator 78, Dominator 80, Dominator 85, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, MEGA, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
061196-U10	061196.0	10,5	48	8,2	0,025



Bushing

Suitable for:

Claas: DOMINATOR, Dominator 100, Dominator 105, Dominator 106, Dominator 108, Dominator 118, Dominator 80, Dominator 85

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
629175-U10	629175.0	40	43	28	0,08




Bushing

Suitable for:

Claas: Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470, Lexion 470 MONTANA, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 450

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
736922-U10	736922.0	10	48	8,6	0,11



Spacer bush (Forged)

Suitable for:

Claas: 4R70-SL, 4R75-SL, 4R80-SL, 5R70-SL, 5R75-SL, 5R80-SL, 5R90, 6R70, 6R75-SL, 6R80-SL, 6R90

Characteristic

Nº Heavy Parts	Nº OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Height, h (mm)	Weight, W (kg)
695918-U10	695918.0	12,2	40/20	8,5	5,5	0,027



Bushing (Forged)

Suitable for:

Claas: Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 II MONTANA, Lexion 420 II MTS, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS, Lexion 460 TERRA, Lexion 470 II MONTANA, Lexion 470 MONTANA, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
755869-U10	755869.0	10	30	5	0,03



Bushing

Suitable for:

Claas: Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
647429-P10	647429.0	25	50	50	0,26



Bushing

Suitable for:

Claas: CAT Lexion 560, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 II MONTANA, Lexion 420 MONTANA, Lexion 430, Lexion 430 II MONTANA, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 II MONTANA, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 580 R AUSTRALIA, Lexion 585 R, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
751253-P10	751253.0	25	50	56	0,26



Bushing

Suitable for:

Claas: CAT Lexion 560, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 II MONTANA, Lexion 420 MONTANA, Lexion 430, Lexion 430 II MONTANA, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 II MONTANA, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 580 R AUSTRALIA, Lexion 585 R, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
751254-P10	751254.0	20	60	50	0,1





Spare parts for agricultural machinery

Bushing

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 II MONTANA, Lexion 430, Lexion 430 II MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 II MONTANA, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 580 R AUSTRALIA, Lexion 585 R, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
647430-P10	647430.0	36	70	64,5	0,53



Bushing

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 76, Dominator 78, Dominator 86, Dominator 88, Dominator 88VX, Dominator 96, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
647431-P10	647431.0	36	70	90	0,8



Bushing

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Lexion 470 MONTANA, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 570, Lexion 570 MONTANA, Lexion 580, Lexion 600, Lexion II 410 II, Lexion II 430 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
647464-P10	647464.0	16	32	17	0,2



Bushing

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 106, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128VX, Dominator 130, Dominator 140, Dominator 150, Dominator 48, Dominator 48SP, Dominator 58, Dominator 58SP, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 430, Lexion 510, Lexion 520, Lexion 530, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32, HEAVY-PARTS ORIGINAL, 3.9m/soja/, 4.5m/soja/, 5.1m/soja/, 5.4m/soja/, 6.0m/soja/, 6.6m/soja/, 7.5m/soja/, 9.0m/soja/

Characteristic

№ Heavy Parts	№ OE
647465-P10	647465.0



Bushing

Suitable for:

Claas: Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 140, Dominator 150, Dominator 48, Dominator 48SP, Dominator 58SP, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 II MONTANA, Lexion 430, Lexion 430 II MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 465, Lexion 470, Lexion 470 II MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575 R, Lexion 580 R, Lexion 580 R AUSTRALIA, Lexion 585 R, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 470 II, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
647466-P10	647466.0	14	35	32	0,135



Bushing

Suitable for:

Claas: Commandor 114, Commandor 114CS, Commandor 115, Commandor 115CS, Commandor 116, Commandor 116CS, Commandor 228, Commandor 228 CS, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 128, Dominator 130, Dominator 140, Dominator 150, Dominator 48, Dominator 48SP, Dominator 58, Dominator 58SP, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
647467-P10	647467.0	25	40	40	0,135



Bushing

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 140, Dominator 150, Dominator 48, Dominator 48SP, Dominator 58, Dominator 58SP, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 580, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
647468-P10	647468.0	20	45	30	0,14



Bushing

Suitable for:

Claas: Commandor 112CS, Commandor 114CS, Commandor 115CS, Commandor 116CS, Commandor 228 CS, Dominator 108, Dominator 108VX, Dominator 118, Dominator 118VX, Dominator 140, Dominator 150, Dominator 48, Dominator 48SP, Dominator 58, Dominator 58SP, Dominator 68, Dominator 68R, Dominator 68SR, Dominator 78, Dominator 88, Dominator 88VX, Dominator 98, Dominator 98VX, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 TERRA, Lexion 580, Medion 310, Medion 320, Medion 330, Medion 330 HYDRO, Medion 340, Mega 202, Mega 203, Mega 204, Mega 208, Mega 218, Mega 350, Mega 350 SKD, Mega 360, Mega 360 REIS, Mega 360 SKD, Mega 370, Mega II 202 II, Mega II 203 II, Mega II 204 II, Mega II 208 II, Mega II 218 II

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
687355-P10	687355.0	25	55	60	0,33



Bushing

Suitable for:

Claas: LEXION, Lexion 405, Lexion 410, Lexion 415, Lexion 420, Lexion 420 MONTANA, Lexion 430, Lexion 430 MONTANA, Lexion 440, Lexion 440 II, Lexion 450, Lexion 450 II, Lexion 450 MTS II, Lexion 450 TERRA, Lexion 460, Lexion 460 II, Lexion 460 MTS II, Lexion 460 TERRA, Lexion 470, Lexion 470 MONTANA, Lexion 470 R, Lexion 475, Lexion 475 R, Lexion 480, Lexion 480 II, Lexion 480 II MTS, Lexion 480 R, Lexion 480 TERRA, Lexion 485, Lexion 485 R, Lexion 510, Lexion 520, Lexion 520 MONTANA, Lexion 530, Lexion 530 MONTANA, Lexion 540, Lexion 550 MONTANA, Lexion 560, Lexion 560 MONTANA, Lexion 560 R, Lexion 570, Lexion 570 MONTANA, Lexion 575, Lexion 575 R, Lexion 580, Lexion 580 R, Lexion 585 R, Lexion 600, Lexion II 410 II, Lexion II 420 II, Lexion II 430 II, Lexion II 470 II, Tucano 320, Tucano 330, Tucano 340, Tucano 430, Tucano 440, Tucano 440 TYP C32, Tucano 450, Tucano 450 TYP C32

Characteristic

№ Heavy Parts	№ OE	Inner diameter, d (mm)	Outside diameter, D (mm)	Height, H (mm)	Weight, W (kg)
751251-P10	751251.0	18	40	25	0,08





Suitable for:

Characteristic

Suitable for:

Characteristic

Suitable for:

Characteristic

Suitable for:



Characteristic

CLAAS

Bearing

Characteristic

№ Heavy Parts	№ OE
215517-S10	215517.0
132648-S10	132648.0
211918-S10	211918.0
212229-S10	212229.0
213051-S10	213051.0
214632-S10	214632.0
215048-S10	215048.0
215115-S10	215115.0
215166-S10	215166.0
215467-S10	215467.0
215525-S10	215525.0
215520-S10	215520.0
215536-S10	215536.0
215540-S10	215540.0
215724-S10	215724.0
215943-S10	215943.0
215960-S10	215960.0
239360-S10	239360.0
2442751-S10	244275.1
216039-S10	216039.0
216088-S10	216088.0
216101-S10	216101.0
233280-S10	233280.0
233692-S10	233692.0
235830-S10	235830.0
235914-S10	235914.0
235895-S10	235895.0
235954-S10	235954.0
235986-S10	235986.0
235987-S10	235987.0
236008-S10	236008.0
236320-S10	236320.0
236752-S10	236752.0
237708-S10	237708.0
237709-S10	237709.0
237749-S10	237749.1
237832-S10	237832.0
237943-S10	237943.0
238042-S10	238042.0
238069-S10	238069.0
238197-S10	238197.0
2382803-S10	238280.3
238322-S10	238322.0
238373-S10	238373.0
238504-S10	238504.0
238999-S10	238999.0

Characteristic

№ Heavy Parts	№ OE
239123-S10	239123.0
239220-S10	239220.0
239257-S10	239257.0
239369-S10	239369.0
239421-S10	239421.0
239434-S10	239434.0
239463-S10	239463.0
241101-S10	241101.0
243538-S10	243538.0
243654-S10	243654.0
243671-S10	243671.0
243674-S10	243674.0
243683-S10	243683.0
243685-S10	243685.0
244267-S10	244267.0
244284-S10	244284.0



Spare parts for agricultural machinery

Bush

Suitable for:

CNH: CR9080, CR9060, CX8080, CX6090, CSX7080, CS6090, CS660, TC5080, TC56, TC57

Characteristic

Nº Heavy Parts	Nº OE
80424230-U10	80424230



Finger

Suitable for:

CNH: 8070, 8080, TC52, TC54, TF42, TF44, TF46, TX30, TX32, TX34, TX36

Characteristic

Nº Heavy Parts	Nº OE
84000121-U10	84000121



Finger

Suitable for:

CNH: 3050, 3020 Flexi, 740CF, 760CG

Characteristic

Nº Heavy Parts	Nº OE
84194057-U10	84194057



Sprocket

Suitable for:

CNH: 1530, 1545, 1550, 8040, 8055, 8060, 8070, 8080, TX32, TX34, TX36, TX62, TX65, CS540, CX820, TC54, TC56, CS640, 5070, CX7060, CSX7060

Characteristic

Nº Heavy Parts	Nº OE
80450592-U10	80450592



Sprocket (Forged)

Suitable for:

CNH: TC5080

Characteristic

Nº Heavy Parts	Nº OE
447218-U10	80447218



Sprocket

Suitable for:

CNH: CR9080

Characteristic

Nº Heavy Parts	Nº OE
87665225-U10	87665225



Sprocket

Suitable for:
CNH: CR9080

Characteristic

Nº Heavy Parts	Nº OE
87665224-U10	87665224



Sprocket (Forged)

Suitable for:
CNH: TC 5040, TC 5060, TC 5050, TC 5070, TC 5080, TC 52, TC 54, TC 56

Characteristic

Nº Heavy Parts	Nº OE
84037151-U10	84037151



Sprocket (Forged)

Suitable for:
CNH: CR 9080, CR 9080 ELEVATION

Characteristic

Nº Heavy Parts	Nº OE
84388386-U10	84388386



Sprocket (Forged)

Suitable for:
CNH: CR 9080

Characteristic

Nº Heavy Parts	Nº OE
87748338-U10	87748338



Sprocket (Forged)

Suitable for:
CNH: CX 8080, CR 9080, CR 9060

Characteristic

Nº Heavy Parts	Nº OE
84069677-U10	84069677





Spare parts for agricultural machinery

Sprocket (Forged)

Suitable for:
CNH: CX 8080, CR 9080, CR 9060, CX6090

Characteristic

Nº Heavy Parts	Nº OE
84069770-U10	84069770



Sprocket (Forged)

Suitable for:
CNH: CX 8080, CR 9080, CR 9060, CX6090

Characteristic

Nº Heavy Parts	Nº OE
84069777-U10	84069777



Sprocket

Suitable for:
CNH: CR 9080, CR 9090, CR 7090, CR 8080, CR 8090, CR 9090 ELEVATION, CR 6090 - CR 7090

Characteristic

Nº Heavy Parts	Nº OE
84383622-U10	84383622



Sprocket (Forged)

Suitable for:
CNH: 2030, 2040, 2050

Characteristic

Nº Heavy Parts	Nº OE
84461197-U10	84461197



Sprocket (Forged)

Suitable for:
CNH: CS 6050, CS 6060, CS 6070, CS 6080, CS 6090, CSX 7040, CX 6090, CL 560 HILLSIDE

Characteristic

Nº Heavy Parts	Nº OE
84981030-U10	84981030



Sprocket (Forged)

Suitable for:

CNH: CS 520, CS 540, CS 640, CS 660, CL 560 HILLSIDE, CS 6050, CS 6060, CS 6070, CS 6080, CS 6090, CL 6060, CSX 7060, CSX 7080, CSX 7070

Characteristic

№ Heavy Parts	№ OE
84981079-U10	84981079



Sprocket (Forged)

Suitable for:

CNH: CS 520, CS 540, CS 640, CS 660, CL 560, CS 6050, CS 6060, CS 6070, CS 6080, CS 6090, CL 6060, CSX 7060, CSX 7080, CSX 7070, CX 6090, CS 5090

Characteristic

№ Heavy Parts	№ OE
84981212-U10	84981212



Sprocket (Forged)

Suitable for:

CNH: CS 520, CS 540, CS 640, CS 660, CL 560, CS 6050, CS 6060, CS 6070, CS 6080, CS 6090, CL 6060, CSX 7060, CSX 7080, CSX 7070, CX 6090, CS 5090

Characteristic

№ Heavy Parts	№ OE
84981224-U10	84981224



Sprocket (Forged)

Suitable for:

CNH: CSX 7080, CX 6090

Characteristic

№ Heavy Parts	№ OE
84981311-U10	84981311



Sprocket (Forged)

Suitable for:

CNH: CR 9080, CR 9060, CX 8080

Characteristic

№ Heavy Parts	№ OE
86594534-U10	86594534





Spare parts for agricultural machinery

Sprocket (Forged)

Suitable for:

CNH: CR 9080, CR 9060, CX 8080, CSX 7080

Characteristic

Nº Heavy Parts	Nº OE
87283101-U10	87283101
Nº Heavy Parts	Nº OE
87283101E-U10	87283101



Sprocket (Forged)

Suitable for:

CNH: CR 9080, CR 9060, CX 8080

Characteristic

Nº Heavy Parts	Nº OE
87750653-U10	87750653



Sprocket (Forged)

Suitable for:

CNH: CR 9060, CX 8080

Characteristic

Nº Heavy Parts	Nº OE
87750657-U10	87750657



Sprocket (Forged)

Suitable for:

CNH: CR 9080, CR 9060, CX 8080, CX 6090, CSX 7080, CS 6090, CS 660, TC 5080, TC 56, TC 57

Characteristic

Nº Heavy Parts	Nº OE
89819912-U10	89819912



Sprocket (Forged)

Suitable for:

CNH: CR 9080, CR 9070

Characteristic

Nº Heavy Parts	Nº OE
84384191-U10	84384191



Sprocket (Forged)

Suitable for:

CNH: CR 9080, CR 9060, CX 8080, CX 6090, CSX 7080, CS 660

Characteristic

Nº Heavy Parts	Nº OE
89831670-U10	89831670



Sprocket (Forged)

Suitable for:

CNH: CR 9080, CR 9060, CX 8080

Characteristic

Nº Heavy Parts	Nº OE
84442293-U10	84442293



Sprocket (Forged)

Suitable for:

CNH: CR 9080, CR 9060, CX 8080, CX 6090

Characteristic

Nº Heavy Parts	Nº OE
84069795-U10	84069795



Sprocket (Forged)

Suitable for:

CNH: CX 740, CX 8030, CX 760, CX 840, CR 9080, CX 8050, CR 940, CX 820, CR 9060, CX 8070, CR 960, CX 8060, CX 8040, CX 720, CX 860, CX 8080, CR 980, CX 780, CR 920, CX 880

Characteristic

Nº Heavy Parts	Nº OE
84441122-U10	84441122



Knife section

Suitable for:

CNH: Case combine, Case-IH: 1010, 1020

Characteristic

Nº Heavy Parts	Nº OE
191256A1-C10	191256A1





Spare parts for agricultural machinery

Holder

Suitable for:
CNH: 1010

Characteristic

Nº Heavy Parts	Nº OE
9842299-C10	9842299



Bearing

Characteristic

Nº Heavy Parts	Nº OE
84995781-S10	84995781
84330084-S10	84330084
84330090-S10	84330090
80210064-S10	80210064
210046-S10	210046
210054-S10	210054
301202-S10	301202
385803-S10	385803
80210055-S10	80210055
388068-S10	388068
80323327-S10	80323327
89513119-S10	89513119
428600-S10	428600
80210036-S10	80210036
9815813-S10	9815813
80364908-S10	80364908
84819080-S10	84819080
24905140-S10	24905140
89505853-S10	89505853
84014409-S10	84014409
80825070-S10	80825070
84435858-S10	84435858
9833081-S10	9833081
87315721-S10	87315721

Nº Heavy Parts	Nº OE
418831-S10	418831
89808450-S10	89808450
87302841-S10	87302841
28996510-S10	28996510
84188095-S10	84188095
80443898-S10	80443898
80210075-S10	80210075
80210064-S10	80210064
84356151-S10	84356151
80025953-S10	80025953
84438926-S10	84438926
84243622-S10	84243622
353125-S10	353125
87306803-S10	87306803
84100561-S10	84100561
80320557-S10	80320557
913716-S10	913716
210049-S10	210049
80210086-S10	80210086
84330100-S10	84330100
47508371-S10	47508371
80388069-S10	80388069
87615924-S10	87615924
84995635-S10	84995635

Arm

Suitable for:
John Deere: 200, 213, 215, 216, 218, 220, 222, 224, 230, 810, 812, 814, 816, 818, 820.

Characteristic	
Nº Heavy Parts	Nº OE
H86911-C10	H86911



Arm

Suitable for:
John Deere: 120, 1207, 1209, 1214, 183, 200, 200E, 213, 215, 216, 218, 220, 222, 224, 230, 78, 900, 918, 314, 316, 319, 920D, 918D

Characteristic	
Nº Heavy Parts	Nº OE
E52444-C10	E52444



Sprocket (Forged)

Suitable for:
John Deere: 1092, 1243, 1290, 1291, 1293, 6622, 694, 842, 892, 893, 894, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, CTS, 843

Characteristic	
Nº Heavy Parts	Nº OE
AE27909-U10	AE27909



Sprocket (Forged)

Suitable for:
John Deere: 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9540, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II, 9780CTS

Characteristic	
Nº Heavy Parts	Nº OE
AH121046-U10	AH121046



Sprocket

Suitable for:
John Deere: 925, 930, 1065, 1068H, 1072, 1075, 1085, 1166, 1174, 1177, 730, 932, 935, 940, 942, 945, 965, 965H, 968H, 975, 985

Characteristic	
Nº Heavy Parts	Nº OE
Z10398-U10	Z10398





Spare parts for agricultural machinery

Sprocket (Forged)

Suitable for:

John deere: 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II

Characteristic

Nº Heavy Parts	Nº OE
AH121047-U10	AH121047



Sprocket (Forged)

Suitable for:

John deere: 9400, 9410, 9500, 9501, 9510, 9600, 9610, CTS, CTS II

Characteristic

Nº Heavy Parts	Nº OE
AH125782-U10	AH125782



Sprocket (Forged)

Suitable for:

John deere: 9400, 9410, 9500, 9501, 9510, 9600, 9610, CTS, CTS II

Characteristic

Nº Heavy Parts	Nº OE
AH130571-U10	AH130571



Sprocket (Forged)

Suitable for:

John deere: 9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

Characteristic

Nº Heavy Parts	Nº OE
AH147557-U10	AH147557



Sprocket (Forged)

Suitable for:

John Deere: 3300, 4400, 4420, 6600, 6620, 7700, 7720, 8820, 9400, 9410, 9500, 9510, 9600, 9610, CTS, CTS II

Characteristic

Nº Heavy Parts	Nº OE
AN102382-U10	AN102382



Sprocket (Forged)

Suitable for:

John deere: 2064, 2258, 2266, 2256, 2066, 2054, 2264, 2058, 2056, 2254

Characteristic

Nº Heavy Parts	Nº OE
AZ49247-U10	AZ49247



Sprocket (Forged)

Suitable for:

John deere: 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9600, 9610, CTS, CTS II

Characteristic

Nº Heavy Parts	Nº OE
AH126008-U10	AH126008



Sprocket (Forged)

Suitable for:

John deere: 2054, 2254, 2056, 2058, 2256, 2258

Characteristic

Nº Heavy Parts	Nº OE
Z59907-U10	Z59907



Sprocket (Forged)

Suitable for:

John deere: 2054, 2064, 2254, 2264, 2056, 2058, 2066, 2256, 2258, 2266

Characteristic

Nº Heavy Parts	Nº OE
Z12489-U10	Z12489



Sprocket (Forged)

Suitable for:

John deere

Characteristic

Nº Heavy Parts	Nº OE
AH125070-U10	AH125070





Spare parts for agricultural machinery

Finger

Suitable for:
John deere: 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II

Characteristic

№ Heavy Parts	№ OE
H205318-U10	H205318



Finger

Suitable for:
John deere: 200 SERIES, 630R, 1450CWS, 1450WTS, 1550CWS, 1550WTS, 630, 616R

Characteristic

№ Heavy Parts	№ OE
H169914-U10	H169914



Straw chopper blade

Suitable for:
John deere:

Characteristic

№ Heavy Parts	№ OE
H212699+H212700-C10	H212699+H212700



Straw chopper blade

Suitable for:
John deere: 9880STS, S690, S560

Characteristic

№ Heavy Parts	№ OE
H212698-C10	H212698



Spring tine

Suitable for:
John deere: 615P, 900, 914P

Characteristic

№ Heavy Parts	№ OE
H86248-C10	H86248



Bushing

Suitable for:
John deere: 330, 530, 730, 925, 935, 945, 930, 932, 950, 952, 9550, 965H, 975, 985, 1065, 1072, 1085, 1133, 1166, 1170, 1174, 1177, 2054, 2064, 2254, 2264, 965, 1068H, 1075, 1144, 2056, 2058, 2066, 2256, 2258, 2266, 430, 630, 940, 942, 960, 968H, 1032, 1055, 1155, 1169, 1188, 1157, 1158

Characteristic

№ Heavy Parts	№ OE
P49545-C10	P49545



Bushing

Suitable for:

John deere: 9400, 9410, 9500, 9500SH, 9510, 9510SH, 9600, 9610, CTS, CTS II

Characteristic

№ Heavy Parts	№ OE
AH125201-C10	AH125201



Bushing

Suitable for:

John deere: 212, 213, 215, 216, 218, 220, 222, 224, 230, 616F, 618F, 622F, 625D, 625F, 630D, 630F, 630FD, 635D, 635F, 635FD, 640D, 640FD, 900D, 900F, 900P, 900R, 913, 915, 918, 920, 922, 924, 925, 925D, 930, 930F, 90D, 93D

Characteristic

№ Heavy Parts	№ OE
H157812-C10	H157812



Bushing

Suitable for:

John deere: 330, 530, 730, 925, 935, 945, 930, 932, 950, 952, 9550, 965H, 975, 985, 1032, 1055, 1065, 1072, 1085, 1133, 1155, 1166, 1170, 1174, 1177, 1188, 2054, 2064, 2254, 2264, 965, 1068H, 1075, 1144, 1157, 1158, 2056, 2058, 2066, 2256, 2258, 2266, 430, 630, 940, 942, 960, 968H, 1169, 970, 1042, 1052

Characteristic

№ Heavy Parts	№ OE
P42100-C10	P42100



Bushing

Suitable for:

John deere: 9400, 9410, 9500, 9500SH, 9501, 9510, 9510SH, 9600, CTS

Characteristic

№ Heavy Parts	№ OE
AH125200-C10	AH125200



Bushing

Suitable for:

John deere: 965H, 975, 985, 1032, 1055, 1065, 1072, 1085, 1133, 1155, 1166, 1170, 1174, 1177, 965, 1042, 1052, 1068H, 1075, 1144, 1157, 1158, 968H, 1169

Characteristic

№ Heavy Parts	№ OE
Z37972-C10	Z37972





Spare parts for agricultural machinery

Bushing

Suitable for:

John deere: 1170, 2054, 2064, 2254, 2264, 4435, 9780CTS, CTS, 1450CWS, 1550CWS, 1450WTS, 1550WTS, 9540WTS, 9560WTS, 9580WTS, 9640WTS, 9680WTS, 2056, 2058, 2066, 2256, 2258, 2266, 1550, 9660WTS, CTS II, 1100, 4435 HYDRO, 1450, 9780

Characteristic

№ Heavy Parts	№ OE
Z51243-U10	Z51243



Hold down clip

Suitable for:

John deere: 625D, 630, 630D, 635, 635D, 635FD, 640D, 640FD, 925D, 930D, 936D

Characteristic

№ Heavy Parts	№ OE
AH218547/AH218548-C10	AH218547/AH218548



Guide

Suitable for:

John deere: 213, 215, 216, 218, 220, 222, 224, 230, 453A, 454A, 653A, 654A, 853A, 854A, 913, 915, 918, 920, 922, 924, 925, 930, 253A, 453, 454, 54A, 554, 653, 654, 655A, 853

Characteristic

№ Heavy Parts	№ OE
H87044-C10	H87044



Wear strip

Suitable for:

John deere: 9450, 9550, 9560, 9570STS, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S550

Characteristic

№ Heavy Parts	№ OE
H171960-C10	H171960



Double knife section

Suitable for:

John deere: 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II

Characteristic

№ Heavy Parts	№ OE
H163131-C10	H163131



Knife section

Suitable for:

John deere: 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, CTS, CTS II

Characteristic

№ Heavy Parts	№ OE
H207930/H160251-C10	H207930/H160251



Knife

Suitable for:

John deere: 615P, 900, 914P

Characteristic

№ Heavy Parts	№ OE
420100045-U19	420100045



Knife

Suitable for:

John deere: John Deere 900 SERIES, 900F, 900R, 913, 915, 918, 920, 922, 925, 930

Characteristic

№ Heavy Parts	№ OE
H136807-U19	H136807



Knife guard

Suitable for:

John deere: 615F, 618F, 620F, 622F, 625F, 630F, 635F, 635FD, 640FD

Characteristic

№ Heavy Parts	№ OE
H229537-C10	H229537



Knife guard

Suitable for:

John Deere: 615F, 618F, 620F, 622F, 625F, 630F, 635F, 635FD, 640FD

Characteristic

№ Heavy Parts	№ OE
H229538-C10	H229538





Spare parts for agricultural machinery

Reel flex teen

Suitable for:
John deere: 900 SERIES

Characteristic

Nº Heavy Parts	Nº OE
H127035-U21	H127035



Finger

Suitable for:
John deere: 600 R&F, 615R, 618R, 620R, 622R, 625R, 630R, 635R

Characteristic

Nº Heavy Parts	Nº OE
AH166489-U21	AH166489



Finger

Suitable for:
John deere: 900 SERIES, 918, 920 EUROPIAN, 922 EUROPIAN, 924, 925 EUROPIAN, 922, 925, 930, 918, 920

Characteristic

Nº Heavy Parts	Nº OE
AH136689-U21	AH136689



Washer

Suitable for:
John deere: 9540WTS, 9540i, 9640WTS, 9780CTS, 9880i, C670, S690, T550, T560, T660, T670, W540, W550, W650, W660

Characteristic

Nº Heavy Parts	Nº OE
Z75870-U10	Z75870



Washer

Suitable for:
John deere: 9540WTS, 9540i, 9640WTS, 9780CTS, 9880i, C670, S690, T550, T560, T660, T670, W540, W550, W650, W660

Characteristic

Nº Heavy Parts	Nº OE
Z75869-U10	Z75869



Finger

Suitable for:
MASSEY FERGUSON: MF 7242, MF 7250/7252, MF 7274/7278

Characteristic

Nº Heavy Parts	Nº OE
D28283815-U10	D28283815



U-Bolt

Suitable for:

Lemken: Rubin 9/500 KÜA, Rubin 9/600 KÜA, Rubin 9/300 Ü Combi-Liner, Rubin 9/400 Ü Combi-Liner

Characteristic

Nº Heavy Parts	Nº OE
3017787-U50	301 7787



U-Bolt

Suitable for:

Lemken: Quarz 7/400, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Rubin 9/300 Ü Combi-Liner, Rubin 9/400 Ü Combi-Liner, System-Kompaktor K 450 A, System-Kompaktor K 500 A, System-Kompaktor K 600 A

Characteristic

Nº Heavy Parts	Nº OE
3017795-U50	301 7795



Washer

Suitable for:

Lemken: EuroDiamant 8

Characteristic

Nº Heavy Parts	Nº OE
3230056-U10	323 0056



Nut

Suitable for:

Lemken: Rubin 9/500 KÜA, Rubin 9/600 KÜA, Rubin 9/300 Ü Combi-Liner, Rubin 9/400 Ü Combi-Liner

Characteristic

Nº Heavy Parts	Nº OE
3030954-U16	303 0954



Drawbar

Suitable for:

Lemken: Compact-Solitaire 9/600 K HD, EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 9, EurOpal 5, EurOpal 6, EurOpal 7, EurOpal 7X, EurOpal 8, EurOpal 9, EurOpal 5 HX, EuroTitan 10 X, EuroTitan 10, Quarz 7/400 K, Quarz 7/400 KA, Quarz 7/500 K, Quarz 7/500 KA, Quarz 7/600 K, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Rubin 9/400 KÜ, Smaragd 9/300, Smaragd 9/400K, Smaragd 9/400, Smaragd 9/450K, Smaragd 9/500K, Smaragd 9/600K, Smaragd 9/600 KA "B", System-Kompaktor K 450, System-Kompaktor K 450 A, System-Kompaktor K 500, System-Kompaktor K 500 A, System-Kompaktor K 600, System-Kompaktor K 600 A, System-Korund 900K, System-Korund 900 L, System-Korund 300 L, System-Korund 600 L, System-Korund 750 K & -750 L, Thorit 9/400 K, Thorit 9/400 KA 2003, Thorit 9/450 K, Thorit 9/500 K, Thorit 9/500 KA 2003, Thorit 9/600 K, Thorit 9/600 KA 2003, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Opal 5, Vari-Opal 7, Vari-Opal 7 X, Vari-Opal 8, Vari-Opal 8 X, Vari-Opal 9, Vari-Opal 9 X, Vari-Titan 10, Vari-Turmalin 10, VarioPack 110 DP 90, VarioPack S 110 DP 70

Characteristic

Nº Heavy Parts	Nº OE
4617925-U10	461 7925





Spare parts for agricultural machinery

Finger (Forged)

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 8, EuroTitan 10 X, EuroTitan 10, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Titan 10

Characteristic

№ Heavy Parts	№ OE
3132513-U10	313 2513



Finger (Forged)

Suitable for:

Lemken: Gigant 800, Gigant 1000

Characteristic

№ Heavy Parts	№ OE
3133514-U10	313 3514



Finger (Forged)

Suitable for:

Lemken: Quarz 7/400, Quarz 7/400 K, Quarz 7/500 K, Quarz 7/600 K, Zirkon 7/300, Zirkon 7/400, Zirkon 9/300, Zirkon 9/400, Zirkon 10/300, Zirkon 10/400, Zirkon 10/450

Characteristic

№ Heavy Parts	№ OE
3132543-U10	313 2543



Finger

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 8, EuroTitan 10 X, EuroTitan 10, Quarz 7/400 KA, Quarz 7/500 KA, Smaragd 9/300, Smaragd 9/400K, Smaragd 9/400, Smaragd 9/450K, Smaragd 9/500K, Smaragd 9/600K, Smaragd 9/600 KA "B", Smaragd 9/600 KA "B", System-Kompaktor K 450 A, System-Kompaktor K 500 A, System-Kompaktor K 600 A, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Titan 10, Vari-Turmalin 10, Zirkon 10/400 KA, Zirkon 10/450 KA, Zirkon 10/500 KA, Zirkon 10/600 KA

Characteristic

№ Heavy Parts	№ OE
3137785-U10	313 7785



O-ring

Suitable for:

Lemken: Rubin 9/500 KÜA, Rubin 9/600 KÜA, Rubin 9/300 Ü Combi-Liner, Rubin 9/400 Ü Combi-Liner, Rubin 9/400 KÜ

Characteristic

№ Heavy Parts	№ OE
3751226-U10	375 1226



Finger (Forged)

Suitable for:

Lemken: Quarz 7/500 K, Quarz 7/500 KA, Quarz 7/600 K, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Smaragd 9/600 KA "B", Smaragd 9/600 KA "B", Solitair 9/450 KA, Solitair 12/1200 K, Solitair 12/800 K, Solitair 12/900 K, Solitair 9/400 KA, Solitair 9/600 K, Solitair 9/450 K, Solitair 9/500 K, Solitair 9/500 KA, Solitair 9/600 KA, Thorit 9/600 KA 2003, Zirkon 10/500 K, Zirkon 10/500 KA, Zirkon 10/600 K, Zirkon 10/600 KA

Characteristic

Nº Heavy Parts	Nº OE
3132527-U10	313 2527



Finger (Forged)

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Turmalin 10

Characteristic

Nº Heavy Parts	Nº OE
3134025-U10	313 4025



Finger (Forged)

Suitable for:

Lemken: Rubin 9/500 KÜA, Rubin 9/600 KÜA

Characteristic

Nº Heavy Parts	Nº OE
3134047-U10	313 4047



Finger (Forged)

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 8, Quarz 7/400 KA, Quarz 7/500 KA, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Smaragd 9/600 KA "B", System-Kompaktor K 450 A, System-Kompaktor K 500 A, Thorit 9/400 KA 2003, Thorit 9/500 KA 2003, Thorit 9/600 KA 2003, Vari-Diamant 10, Vari-Diamant 10 X

Characteristic

Nº Heavy Parts	Nº OE
3134524-U10	313 4524



Finger (Forged)

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 8, EuroTitan 10 X, EuroTitan 10, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Titan 10

Characteristic

Nº Heavy Parts	Nº OE
3134529-U10	313 4529





Spare parts for agricultural machinery

Finger

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, Vari-Diamant 10, Vari-Diamant 10 X

Characteristic

№ Heavy Parts	№ OE
3133015-U10	313 3015



Finger (Forged)

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EurOpal 6, EurOpal 7, EurOpal 7X, EuroTitan 10 X, EuroTitan 10, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Smaragd 9/600 KA "B", Smaragd 9/600 KA "B", Vari-Diamant 10, Vari-Diamant 10 X, Vari-Opal 7, Vari-Opal 7 X, Vari-Titan 10, Vari-Turmalin 10

Characteristic

№ Heavy Parts	№ OE
3135031-U10	313 5031



Finger (Forged)

Suitable for:

Lemken: Gigant 800, Gigant 1000, Quarz 7/400 KA, Quarz 7/500 KA, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Smaragd 9/600 KA "B", Smaragd 9/600 KA "B", Solitair 12/1200 K, Solitair 12/800 K, Solitair 12/900 K, System-Kompaktor K 450 A, System-Kompaktor K 500 A, System-Kompaktor K 600 A, System-Korund 900K, System-Korund 900 L, System-Korund 750 K & -750 L, Thorit 9/400 KA 2003, Thorit 9/500 KA 2003, Thorit 9/600 KA 2003, Zirkon 10/400 KA, Zirkon 10/450 KA, Zirkon 10/500 KA, Zirkon 10/600 KA

Characteristic

№ Heavy Parts	№ OE
3135037-U10	313 5037



Finger (Forged)

Suitable for:

Lemken: Rubin 9/300 Ü Combi-Liner, Rubin 9/400 Ü Combi-Liner, Thorit 8/300 Combi-Liner, Thorit 8/400 Combi-Liner, Zirkon 10/400 K, Zirkon 10/400 KA, Zirkon 10/450 K, Zirkon 10/450 KA, Zirkon 10/500 K, Zirkon 10/500 KA, Zirkon 10/600 K, Zirkon 10/600 KA

Characteristic

№ Heavy Parts	№ OE
3135039-U10	313 5039



Finger (Forged)

Suitable for:

Lemken: Rubin 9/500 KÜA, Rubin 9/600 KÜA

Characteristic

№ Heavy Parts	№ OE
3135041-U10	313 5041



Finger

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EurOpal 8, EurOpal 9, EuroTitan 10 X, EuroTitan 10, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Opal 8, Vari-Opal 8 X, Vari-Opal 9, Vari-Opal 9 X, Vari-Titan 10, Vari-Turmalin 10

Characteristic

Nº Heavy Parts	Nº OE
3136031-U10	313 6031



Finger (Forged)

Suitable for:

Lemken: Rubin 9/500 KÜA, Rubin 9/600 KÜA

Characteristic

Nº Heavy Parts	Nº OE
3136043-U10	313 6043



Finger (Forged)

Suitable for:

Lemken: EuroDiamant 9

Characteristic

Nº Heavy Parts	Nº OE
3138130-U10	313 8130



Finger (Forged)

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 8, EuroDiamant 9, EurOpal 6, EurOpal 7, EurOpal 7X, EurOpal 8, EurOpal 9, EuroTitan 10 X, EuroTitan 10, Gigant 800, Gigant 1000, Quarz 7/400 K, Quarz 7/400 KA, Quarz 7/500 K, Quarz 7/500 KA, Quarz 7/600 K, System-Kompaktor K 450, System-Kompaktor K 450 A, System-Kompaktor K 500, System-Kompaktor K 500 A, System-Kompaktor K 600, System-Kompaktor K 600 A, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Opal 7, Vari-Opal 7 X, Vari-Opal 8, Vari-Opal 8 X, Vari-Opal 9, Vari-Opal 9 X, Vari-Titan 10, Vari-Turmalin 10, Zirkon 7/300, Zirkon 7/400, Zirkon 9/300, Zirkon 9/400, Zirkon 10/300, Zirkon 10/400, Zirkon 10/450

Characteristic

Nº Heavy Parts	Nº OE
3137802-U10	313 7802



Finger (Forged)

Suitable for:

Lemken: EuroDiamant 9, Gigant 800, Gigant 1000, Quarz 7/400 KA, Quarz 7/500 KA, System-Kompaktor K 450 A, System-Kompaktor K 500 A, System-Kompaktor K 600 A, Thorit 9/400 KA2003, Thorit 9/500 KA2003, Thorit 9/600 KA2003

Characteristic

Nº Heavy Parts	Nº OE
3138135-U10	313 8135





Spare parts for agricultural machinery

Finger (Forged)

Suitable for:

Lemken: EuroDiamant 8, Quarz 7/400 KA, Quarz 7/500 KA, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Smaragd 9/600 KA "B", System-Kompaktor K 450 A, System-Kompaktor K 500 A, System-Kompaktor K 600 A, Thorit 9/400 KA2003, Thorit 9/500 KA2003, Thorit 9/600 KA2003

Characteristic

№ Heavy Parts	№ OE
3135033-U10	313 5033



Finger (Forged)

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EuroTitan 10 X, EuroTitan 10, System-Korund 600 L, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Titan 10

Characteristic

№ Heavy Parts	№ OE
3134526-U10	313 4526



Finger

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 9, EuroDiamant 8, EuroTitan 10 X, EuroTitan 10, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Titan 10

Characteristic

№ Heavy Parts	№ OE
3133513-U10	313 3513



Finger

Suitable for:

Lemken: Vari-Diamant 10, Vari-Diamant 10 X, Vari-Opal 9, Vari-Opal 9 X, Vari-Turmalin 10

Characteristic

№ Heavy Parts	№ OE
3135570-U10	313 5570



Spring

Suitable for:

Lemken: Quarz 7/500 K, Quarz 7/500 KA, Quarz 7/600 K, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Smaragd 9/600 KA "B", Smaragd 9/600 KA "B", Solitair 9/450 KA, Solitair 12/1200 K, Solitair 12/900 K, Solitair 9/400 KA, Solitair 9/600 K, Solitair 9/450 K, Solitair 9/500 K, Solitair 9/500 KA, Solitair 9/600 KA, System-Kompaktor K 450, System-Kompaktor K 450 A, System-Kompaktor K 500, System-Kompaktor K 500 A, System-Kompaktor K 600, System-Kompaktor K 600 A, System-Kompaktor S 300, System-Kompaktor S 400, System-Kompaktor Gigant 1000, System-Kompaktor Gigant 800, Thorit 9/600 KA2003, Zirkon 10/500 K, Zirkon 10/500 KA, Zirkon 10/600 K, Zirkon 10/600 KA

Characteristic

№ Heavy Parts	№ OE
3298461-U11	329 8461





Spring

Suitable for:

Lemken: System-Kompaktor K 450, System-Kompaktor K 450 A, System-Kompaktor K 500, System-Kompaktor K 500 A, System-Kompaktor K 600, System-Kompaktor K 600 A, System-Kompaktor S 300, System-Kompaktor S 400, System-Kompaktor Gigant 1000, System-Kompaktor Gigant 800

Characteristic

№ Heavy Parts	№ OE
3298465-U11	329 8465




Spring

Suitable for:

Lemken: EuroDiamant 10 X, EurOpal 7X, EuroTitan 10 X, System-Kompaktor K 450, System-Kompaktor K 450 A, System-Kompaktor K 500, System-Kompaktor K 500 A, System-Kompaktor K 600, System-Kompaktor K 600 A, System-Kompaktor S 300, System-Kompaktor S 400, System-Kompaktor Gigant 1000, System-Kompaktor Gigant 800, System-Korund 900K, System-Korund 750 K & -750 L, Vari-Diamant 10 X, Vari-Opal 7 X, Vari-Opal 8 X, Vari-Opal 9 X

Characteristic

№ Heavy Parts	№ OE
3298468-U11	329 8468



Spring

Suitable for:

Lemken: EurOpal 7X, Gigant 1000 Smaragd, Gigant 800 Smaragd, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Rubin 9/300 Ü Combi-Liner, Rubin 9/400 Ü Combi-Liner, Smaragd 7/260, Smaragd 7/300, Smaragd 9/300, Smaragd 9/400K, Smaragd 9/400, Smaragd 9/450K, Smaragd 9/500K, Smaragd 9/600K, Smaragd 9/600 KA "B", Smaragd 9/600 KA "B", Thorit 8/300 Combi-Liner, Thorit 8/400 Combi-Liner, Thorit 9/400 K, Thorit 9/400 KA 2003, Thorit 9/450 K, Thorit 9/500 K, Thorit 9/500 KA 2003, Thorit 9/600 K, Thorit 9/600 KA 2003, Vari-Opal 7 X, Vari-Opal 8 X

Characteristic

№ Heavy Parts	№ OE
3298469-U11	329 8469



Spring

Suitable for:

Lemken: Quarz 7/250 F, Quarz 7/300 F, Quarz 7/300, Quarz 7/400 F, Quarz 7/400, Quarz 7/400 K, Quarz 7/400 KA, Quarz 7/500 K, Quarz 7/500 KA, Quarz 7/600 K

Characteristic

№ Heavy Parts	№ OE
5821125-U40	582 1125




Scraper

Suitable for:

Lemken: Solitair 9/450 KA, Solitair 12/1200 K, Solitair 12/800 K, Solitair 12/900 K, Solitair 9/400 KA, Solitair 9/600 K, Solitair 10/600 K, Solitair 9/300, Solitair 9/400, Solitair 9/450 K, Solitair 9/500 K, Solitair 9/500 KA, Solitair 9/600 KA

Characteristic

№ Heavy Parts	№ OE
3492026-U30	349 2026




Scraper

Suitable for:

Lemken: Solitair 9/450 KA, Solitair 12/1200 K, Solitair 12/800 K, Solitair 12/900 K, Solitair 9/400 KA, Solitair 9/600 K, Solitair 10/600 K, Solitair 9/300, Solitair 9/400, Solitair 9/450 K, Solitair 9/500 K, Solitair 9/500 KA, Solitair 9/600 KA

Characteristic

№ Heavy Parts	№ OE
3492031-U30	349 2031



Tyre

Suitable for:

Lemken: Compact-Solitair 9/600 K HD, Rubin 9/400 KÜ, Solitair 9/600 K, -KA, Solitair 9/500 KA

Characteristic

№ Heavy Parts	№ OE
3576003-U90	357 6003





Spare parts for agricultural machinery

Hub

Suitable for:

Lemken: Compact-Solitaire 9/600 K HD, EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 9, EuroDiamant 8, EurOpal 5, EurOpal 6, EurOpal 7, EurOpal 7X, EurOpal 8, EurOpal 9, EurOpal 5 HX, EuroTitan 10 X, EuroTitan 10, Gigant 1000 Smaragd, Gigant 800 Smaragd, Quarz 7/300, Quarz 7/400 K, Quarz 7/400 KA, Quarz 7/500 K, Quarz 7/500 KA, Quarz 7/600 K, Rubin 9/500 KÜA, Rubin 9/600 KÜA, Rubin 9/300 Ü Combi-Liner, Rubin 9/400 Ü Combi-Liner, Rubin 9/400 KÜ, Smaragd 7/260, Smaragd 7/300, Smaragd 9/300, Smaragd 9/400K, Smaragd 9/400, Smaragd 9/450K, Smaragd 9/500K, Smaragd 9/600K, Smaragd 9/600 KA "B", Solitaire 9/450 KA, Solitaire 12/1200 K, Solitaire 9/400 KA, Solitaire 9/600 K, Solitaire 9/600 K, -KA, Solitaire 9/300, Solitaire 9/400, Solitaire 9/450 K, Solitaire 9/500 K, Solitaire 9/500 KA, Solitaire 9/600 KA, Solitaire 9/500 KA, System-Kompaktor K 450 A, System-Kompaktor K 500 A, System-Kompaktor K 600 A, Thorit 8/300 Combi-Liner, Thorit 8/400 Combi-Liner, Thorit 9/400 K, Thorit 9/400 KA 2003, Thorit 9/450 K, Thorit 9/500 K, Thorit 9/500 KA 2003, Thorit 9/600 K, Thorit 9/600 KA 2003, Topas 140-A, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Opal 5, Vari-Opal 7, Vari-Opal 7 X, Vari-Opal 8, Vari-Opal 8 X, Vari-Opal 9, Vari-Opal 9 X, Vari-Titan 10, Vari-Turmalin 10, Zirkon 7/300, Zirkon 7/400, Zirkon 9/300, Zirkon 9/400, Zirkon 10/300, Zirkon 10/400 K, Zirkon 10/400 KA, Zirkon 10/400, Zirkon 10/450 K, Zirkon 10/450 KA, Zirkon 10/450, Zirkon 10/500 K, Zirkon 10/500 KA, Zirkon 10/600 K, Zirkon 10/600 KA, Zirkon 7/250

Characteristic

Nº Heavy Parts	Nº OE
4478882-U10	447 8882



Hub

Suitable for:

Lemken: Rubin 9/500 KÜA, Rubin 9/600 KÜA, Rubin 9/400 KÜ

Characteristic

Nº Heavy Parts	Nº OE
5554503 -U10	555 4503
5554502 -U10	555 4502



Hub

Suitable for:

Lemken: Compact-Solitaire 9/600 K HD, Solitaire 9/600 K -KA

Characteristic

Nº Heavy Parts	Nº OE
5554520-U10	555 4520



Hub

Suitable for:

Lemken: Compact-Solitaire 9/600 K HD, Heliodor 8/350, Heliodor 8/600 K

Characteristic

Nº Heavy Parts	Nº OE
5554513-U10	555 4513
5554512-U10	555 4512



Shaft

Suitable for:

Lemken: Rubin 9/400 KÜA, Rubin 9/500 KÜA, Rubin 9/600 KÜ, Gigant 800 S Rubin

Characteristic

Nº Heavy Parts	Nº OE
4550301-U10	455 0301
4550300-U10	455 0300



Hub

Suitable for:

Lemken: Compact-Solitair 9/600 K HD, Solitair 9/600 K -KA

Characteristic

№ Heavy Parts	№ OE
5554520-U10N	555 4520



Axle

Suitable for:

Lemken: Rubin 9/400 KÜ, Rubin 9/500 KÜA, Rubin 9/600 KÜA

Characteristic

№ Heavy Parts	№ OE
4550302-U10	455 0302



Axle

Suitable for:

Lemken: Rubin 9/400 KÜ, Rubin 9/500 KÜA, Rubin 9/600 KÜA

Characteristic

№ Heavy Parts	№ OE
4550303-U10	455 0303



Pin with grip

Suitable for:

Lemken: Diamant 11, Juwel 7

Characteristic

№ Heavy Parts	№ OE
3138153-U10	313 8153



Pin with grip

Suitable for:

Lemken: EuroDiamant 10, EuroDiamant 10 X, EuroDiamant 8, EuroDiamant 9, EuroOpal 5, EuroOpal 6, EuroOpal 7, EuroOpal 7X, EuroOpal 8, EuroOpal 9, EuroOpal 5 HX, Rubin 9/300 Combi-Liner, Rubin 9/400 Combi-Liner, Thorit 9/400 KA 2003, Thorit 9/500 KA 2003, Thorit 9/600 KA 2003, Vari-Diamant 10, Vari-Diamant 10 X, Vari-Opal 5, Vari-Opal 7, Vari-Opal 7X, Vari-Opal 8, Vari-Opal 8 X, Vari-Opal 9, Vari-Opal 9X

Characteristic

№ Heavy Parts	№ OE
3132020-U10	3132020



Axle

Suitable for:

Lemken: System-Kompaktor K 500, System-Kompaktor K 500 A, System-Kompaktor S 400, System-Kompaktor Gigant 1000, System-Kompaktor Gigant 800

Characteristic

№ Heavy Parts	№ OE
4238759-U10	423 8759



Axle

Suitable for:

Lemken: System-Kompaktor K 450, System-Kompaktor K 450 A, System-Kompaktor K 500, System-Kompaktor K 500 A, System-Kompaktor K 600, System-Kompaktor K 600 A, System-Kompaktor S 300

Characteristic

№ Heavy Parts	№ OE
4238758-U10	423 8758





Spare parts for agricultural machinery

Share stirrup

Suitable for:
Farmet: K1000, K1200, K800, K600

Characteristic

Nº Heavy Parts	Nº OE
4000137-U50	4000137



Characteristic

Nº Heavy Parts	Nº OE	Name
M05680-U50	M05680	Spring
3000129-U10	3000129	Shaft
3000131-U10	3000131	Shaft
M02597-U50	M02597	Spring
M05677-U50	M05677	Spring
M05678-U50	M05678	Spring
M05679-U50	M05679	Spring
4000137-U50	4000137	Share stirrup



M02597-U50



M05677-U50



M05678-U50



3000129-U10



3000131-U10



M05679-U50



M05680-U50

Bearing hub

Suitable for:

Gaspardo: SP, MTR, METRO MTR, ROMINA, MAESTRA (MT), MAESTRA (SP), MARIA S-SC, METRO MT/SP

Characteristic

Nº Heavy Parts	Nº OE
G15223651-U10	G15223651



Bush

Suitable for:

Gaspardo: MTR, METRO MTR, ROMINA

Characteristic

Nº Heavy Parts	Nº OE
G17722000-U10	G17722000



Bush

Suitable for:

Gaspardo: METRO MTR

Characteristic

Nº Heavy Parts	Nº OE
GA5220411-U10	GA5220411



Rubber bandage

Suitable for:

Gaspardo: SP, METRO MTR, MAESTRA (MT), MAESTRA (SP), METRO MT/SP

Characteristic

Nº Heavy Parts	Nº OE
F06120165-U80	F06120165



Rubber bandage

Suitable for:

Gaspardo: SP, METRO MTR, MAESTRA (MT), MAESTRA (SP), METRO MT/SP

Characteristic

Nº Heavy Parts	Nº OE
F06120181-U80	F06120181





Spare parts for agricultural machinery

Rubber bandage

Suitable for:

Gaspardo: SP, MTR, METRO MTR, ROMINA, MAESTRA (MT), MAESTRA (SP), MARIA S-SC, METRO MT/SP

Characteristic

№ Heavy Parts	№ OE
F06120188-U80	F06120188



Wheel half-disk

Suitable for:

Gaspardo: MTR, ROMINA

Characteristic

№ Heavy Parts	№ OE
F06120251P-U90	F06120251



Wheel half-disk

Suitable for:

Gaspardo: MTR, ROMINA

Characteristic

№ Heavy Parts	№ OE
F06120251-U90	F06120251



Wheel

Suitable for:

Gaspardo: MTR, METRO MTR, ROMINA, METRO MT/SP

Characteristic

№ Heavy Parts	№ OE
F06120406MM-U90	F06120406



Wheel

Suitable for:

Gaspardo: MTR, METRO MTR, ROMINA, METRO MT/SP

Characteristic

№ Heavy Parts	№ OE
F06120406MP-U90	F06120406



Wheel

Suitable for:
Gaspardo: MTR, METRO MTR, ROMINA

Characteristic

№ Heavy Parts	№ OE
F06120408-U80	F06120408



Wheel

Suitable for:
Gaspardo: MTR, METRO MTR, ROMINA

Characteristic

№ Heavy Parts	№ OE
F06120412PA-U90	F06120412



Wheel

Suitable for:
Gaspardo: MTR, METRO MTR, ROMINA

Characteristic

№ Heavy Parts	№ OE
F06120412-U90	F06120412



Half-disk

Suitable for:
Gaspardo: MTR, ROMINA

Characteristic

№ Heavy Parts	№ OE
F06120420PA-U90	F06120420



Half-disk

Suitable for:
Gaspardo: MTR, ROMINA

Characteristic

№ Heavy Parts	№ OE
F06120420-U90	F06120420





Spare parts for agricultural machinery

Spring

Suitable for:

Gaspardo: METRO MT/SP, ROMINA, MAESTRA (MT)

Characteristic

Nº Heavy Parts	Nº OE
G15226270-U11	G15226270



Spring

Suitable for:

Gaspardo: SP, METRO MT/SP, MAESTRA (SP)

Characteristic

Nº Heavy Parts	Nº OE
G18903170-U11	G18903170



Spring

Suitable for:

Gaspardo: METRO MT/SP, MTR, METRO MTR, ROMINA

Characteristic

Nº Heavy Parts	Nº OE
G18904540-U11	G18904540



Spring

Suitable for:

Gaspardo: MTR, METRO MTR, ROMINA

Characteristic

Nº Heavy Parts	Nº OE
G18904560-U40	G18904560



Spring

Suitable for:

Gaspardo: MTR, METRO MTR, ROMINA

Characteristic

Nº Heavy Parts	Nº OE
G65337040-U11	G65337040



Gear

Suitable for:

Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19000100-U18	G19000100



Gear

Suitable for:
Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19000110-U18	G19000110



Sprocket

Suitable for:
Gaspardo: SP, METRO MT/SP, MTR, METRO MTR, MAESTRA (MT), MAESTRA (SP)

Characteristic

Nº Heavy Parts	Nº OE
G16630400-U11	G16630400



Sprocket

Suitable for:
Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19001301-U11	G19001301



Sprocket

Suitable for:
Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19001311-U11	G19001311



Sprocket

Suitable for:
Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19001321-U11	G19001321





Spare parts for agricultural machinery

Sprocket

Suitable for:
Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19001331-U11	G19001331



Sprocket

Suitable for:
Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19001341-U11	G19001341



Sprocket

Suitable for:
Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19001351-U11	G19001351



Sprocket

Suitable for:
Gaspardo: SP

Characteristic

Nº Heavy Parts	Nº OE
G19001361-U11	G19001361



Sprocket

Suitable for:
Gaspardo: SP, METRO MT/SP, MTR, METRO MTR, MAESTRA (MT), MAESTRA (SP)

Characteristic

Nº Heavy Parts	Nº OE
G20860086-U11	G20860086



Scraper paddle

Suitable for:
Gaspardo: MTR, METRO MTR, ROMINA

Characteristic

Nº Heavy Parts	Nº OE
GA5220050-C10	Ga5220050



Scraper paddle

Suitable for:
Gaspardo: MTR, METRO MTR, ROMINA

Characteristic

Nº Heavy Parts	Nº OE
GA5220310-C10	GA5220310



Scraper paddle

Suitable for:
Gaspardo SP

Characteristic

Nº Heavy Parts	Nº OE
G15226440-C10	G15226440



Scraper paddle

Suitable for:
Gaspardo SP

Characteristic

Nº Heavy Parts	Nº OE
G15226450-C10	G15226450



Disk

Suitable for:
Gaspardo: SP, METRO MT/SP, MTR, METRO MTR, MAESTRA (MT), MAESTRA (SP)

Characteristic

Nº Heavy Parts	Nº OE
G22230037-U11	G22230037





Spare parts for agricultural machinery

Finger

Suitable for:

Gaspardo: SP, METRO MT/SP, MTR, METRO MTR, MAESTRA (MT), MAESTRA (SP)

Characteristic

Nº Heavy Parts	Nº OE
G22270452-U11	G22270452



Vacuum seal

Suitable for:

Gaspardo: SP, METRO MT/SP

Characteristic

Nº Heavy Parts	Nº OE
G66248068-U18	G66248068



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5105-U10	GA5105



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5106-U10	GA5106



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5107-U10	GA5107



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5108-U10	Ga5108



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5109-U10	GA5109





Spare parts for agricultural machinery

Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5110-U10	GA5110



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5111-U10	GA5111



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5112-U10	GA5112



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GA5113-U10	GA5113



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2500, 2600, 2700, 3000 Series, 3000, 3140, 3200, 3400, 3500, 3600, 3600TR, 3650, 3650 SDS, 3700, 3700 SDS, 3800, 3800 SDS

Characteristic

№ Heavy Parts	№ OE
GA5165-U10	GA5165



Sprocket (Forged)

Suitable for:

KINZE: 2000 Series, 2000, 2500, 2600, 2700, 3000 Series, 3000, 3500, 3600, 3600TR, 3650, 3650 SDS, 3700, 3700 SDS

Characteristic

Nº Heavy Parts	Nº OE
GA5194-U10	GA5194



Bushing

Suitable for:

KINZE: 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 3100

Characteristic

Nº Heavy Parts	Nº OE
GD11259-U10	GD11259



Bushing

Suitable for:

KINZE: 3000 Series, 3000, 3100, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

Nº Heavy Parts	Nº OE
GD11677-U10	GD11677



Finger

Suitable for:

KINZE: 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 3100

Characteristic

Nº Heavy Parts	Nº OE
GD12545-U10	GD12545



Spring

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

Nº Heavy Parts	Nº OE
GD1065-U40	GD1065



Spring

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

Nº Heavy Parts	Nº OE
GD11219-U40	GD11219





Spare parts for agricultural machinery

Spring

Suitable for:

KINZE: 3000 Series, 3000, 3100, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GD10993-U40	GD10993



Spring

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GD5857-U40	GD5857



Spring

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2300, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3100, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GD11447-U40	GD11447



Spring

Suitable for:

KINZE: 2000 Series, 2000, 2100, 2200, 2210, 2400, 2500, 2600, 2700, 3000 Series, 3000, 3110, 3120, 3140, 3200, 3400, 3500, 3600, 3600TR, 3600V, 3650, 3650 SDS, 3660, 3700, 3700 SDS, 3800, 3800 SDS, 4000 Series, 4900

Characteristic

№ Heavy Parts	№ OE
GD8460-U40	GD8460



Sprocket (Forged)

Suitable for:

Geringhoff: Mais Star (MS), PCA, Rota-Disc (RD)

Characteristic

Nº Heavy Parts	Nº OE
030021-U10	030021



Sprocket

Suitable for:

Geringhoff: Rota-Disc (RD)

Characteristic

Nº Heavy Parts	Nº OE
032034-U10	032034



Sprocket

Suitable for:

Geringhoff: Rota-Disc (RD)

Characteristic

Nº Heavy Parts	Nº OE
032012-U10	032012



Axle

Suitable for:

Geringhoff: Rota-Disc (RD)

Characteristic

Nº Heavy Parts	Nº OE
501071-U10	501071





Spare parts for agricultural machinery

Hub

Suitable for:

AMAZONE: Centaur 5000, 6000, 7500, Centaur 300, 400 X, Centaur GPS & 5001-7501, Centaur 4001-2, 5001-2 Super, Centaur 4001-2, 5001-2 Special, Centaur 3001 Special, Centaur 3001 Super, Pegasus SG 302, 402, 402-2-602-2, 403-2-603-2, Catros 3000-6000, Catros 3001-6001-2, Catros 3001-6001-2, Catros 5500, 7500, Catros 4001, Catros 4001-2, 5001-2, 6001-2, Catros 3001-, 4001-T, Catros 3001, 3501, 4001, Catros 5501-, 7501-T, Ceniuss 3000-6000, Ceniuss 3001 Special / Super,

Characteristic

№ Heavy Parts	№ OE
78100486-U10	78100486



Hub

Suitable for:

AMAZONE: KR 12002, KR 9002, Catros 12003-2TS, Catros 3001-, 4001-T, Catros 3001-6001-2, Catros 3001, 3501 Plus, Catros 3001, 3501, 4001, Catros 3001, 3501, 4001 Plus, Catros 3002-, 3502-, 4002-T, Catros 3002-, 3502-, 4002-T Plus, Catros 4001-2 TS, 5001-2 TS, 6001-2 TS Plus, Catros 4001-2, 5001-2, 6001-2, Catros 4001-2, 5001-2, 6001-2, Catros 4001-2, 5001-2, 6001-2 Plus, Catros 4001-2TS, 5001-2TS, 6001-2TS, Catros 4002-2, 5002-2, 6002-2, Catros 5001-2, 6001-2 pro Plus, Catros 5002-2, 6002-2 pro, Catros 5501-, 7501-T, Catros 5501-, 7501-T Plus, Catros 7003-2TX, 8003-2TX, 9003-2TX, Catros, Catros+ 3003, 3503, 4003, Ceniuss 3002, 3502, 4002 Special, Ceniuss 3002, 3502, 4002 Super, Ceniuss 3002, 3502, 4002-T Super, Ceniuss 3002, 3502, 4002-T Super / Special, Ceniuss 3003, 3503, 4003 Super / Special, Ceniuss 3502 Super, Ceniuss 4002-2 Super / Special, Ceniuss 4002-2T Super / Special и 4003-2T Special, Ceniuss 4003-2, Ceniuss 4003-2TX, 5003-2TX, Ceniuss 6003-2TX, 7003-2TX, Centaur 3001 Special, Centaur 3001 Super, Centaur 3001, 4001 Special, Centaur 3001, 4001 Super, Centaur 4001-2, 5001-2 Special, Centaur 4001-2, 5001-2 Special, Centaur 4001-2, 5001-2 Super, Centaur 4001-2, 5001-2 Super, Centaur 5000, 6000, 7500, Centaur 5000, 6000, 7500, Centaur 5001, 6001, Certos 4001-2TX, 5001-2TX, Certos 6001-2TX, 7001-2TX, Cirrus 3001, 4001, 6001 Super, Cirrus 3003 / 3503 / 4003, Cirrus 3003 Compact, Cirrus 4003 / 4003-C, Cirrus 4003-2, Cirrus 6003-2 / 6003-2C, Citan Z 12000, Condor 12001, 15001, Condor 12001, 15001, DMC Primera 3000, 4500, DMC Primera 3000, 4500, DMC Primera 602, DMC Primera 602, DMC Primera 9000, DMC Primera 9000, ED 3000, 3000-C, ED 4500-2C, ED 4500-C, ED 6000 Special, ED 6000-2C, 6000-2FC, Primera DMC 12000-2C, Primera DMC 12001, Primera DMC 6000-2, Primera DMC 9000-2, Primera DMC 9000-2C SUPER, Primera DMC 9001-2C,

Characteristic

№ Heavy Parts	№ OE
78101200-U10	78101200



Rubber

Suitable for:

AMAZONE: Cirrus 8000, 9000, Cirrus 3000, 4000, 6000, Cirrus 8001, 9001, Cirrus 3001, 4001, 6001 Special, Cirrus 3001, 4001, 6001 Super, Citan Z 12000, Cayena 6001, Condor 12001, 15001, Cirrus 3002, 4002, 6002, Citan 12001-, 15001-C, Cirrus 6002 Super, Cayena 6001, 6001-C, EDX 9000-T, EDX 9000-TC, EDX 6000-TC, EDX 6000-2C, EDX 6000-2, Pegasus SG 300, 400, 301, 401, 401-2, 601-2, Centaur 5000, 6000, 7500, Catros 3000-6000, Pegasus SG 302, 402, 402-2-602-2, 403-2-603-2, Centaur 300, 400 X, Centaur GPS & 5001-7501, Catros 3001-6001-2, Ceniuss 3000-6000, CATROS 5500, 7500, CENIUS 3001 Special / Super, Catros 3001-, 4001-T, Catros 3001, 3501, 4001, Catros 5501-, 7501-T, Centaur 4001-2, 5001-2 Super, Centaur 4001-2, 5001-2 Special, Centaur 3001 Special, Centaur 3001 Super, Centaur 4001-2, 5001-2 Super, Centaur 4001-2, 5001-2 Special, Centaur 3001, 4001 Super, Centaur 3001, 4001 Special, Catros 3002-, 3502-, 4002-T, Ceniuss 3002, 3502, 4002 Special, Ceniuss 3002, 3502, 4002 Super, Catros 3001, 3501 Plus, Catros 4001-2TS, 5001-2TS, 6001-2TS, Ceniuss 3502 Super / Special, Catros 3001, 3501, 4001 Plus, Catros 3002-, 3502-, 4002-T Plus, Catros 5501-, 7501-T Plus, Cuenka KR 12002, Cuenka KR 9002, Ceniuss 4002-2 Super / Special, Ceniuss 3002, 3502, 4002-T Super, Ceniuss 3002, 3502, 4002-T Super / Special,

Characteristic

№ Heavy Parts	№ OE
78200081-U60	78200081



Hub

Suitable for:

HORSCH: RT-Series Joker, MT-Series Joker, Terrano, Pronto 40 DC,

Characteristic

№ Heavy Parts	№ OE
28077800-U10	28077800



Spring

Suitable for:
BETAKOMPAKT

Characteristic

Nº Heavy Parts	Nº OE
01140200-U40	01140200



Spring

Suitable for:
BETAKOMPAKT

Characteristic

Nº Heavy Parts	Nº OE
D12-U40	D12



Spring cylinder

Suitable for:
HORSCH: Pronto 7/8/9 DC

Characteristic

Nº Heavy Parts	Nº OE
00200165-U90	00200165



Spring cylinder

Suitable for:
HORSCH: Pronto 7/8/9 DC

Characteristic

Nº Heavy Parts	Nº OE
00200166-U90	00200166



Hub and bearing

Suitable for:
VADERSTAD: Rapid RD 300-400 C/S, Rapid RDA 600-800 C

Characteristic

Nº Heavy Parts	Nº OE
420832-UE10	420832
420832-U10	420832



Hub

Suitable for:
VADERSTAD: Carrier CR 300-400 Carrier CR 500-820 Carrier CR 1025-1225 Carrier Drill CRD 300 Spirit ST 400-900 TopDown TD 300-900 rapid-rd300-400-c-s

Characteristic

Nº Heavy Parts	Nº OE
482496-U10	482496





Spare parts for agricultural machinery

Toplink ball

Suitable for:
HEAVY PARTS: Rota-Disc (RD)

Characteristic

Nº Heavy Parts	Nº OE
366445CAT3/3-U10	CAT 3/3 36*64*45



Toplink ball

Suitable for:
HEAVY PARTS

Characteristic

Nº Heavy Parts	Nº OE
285645C2/2-U10	CAT 2/2 28*56*45



Toplink ball

Suitable for:
HEAVY PARTS

Characteristic

Nº Heavy Parts	Nº OE
286445C2/3-U10	CAT 2/3 28*64*45



Pin pivot

Suitable for:
MANITOU: MRT2545, MRT2145, MLT1040, MLT630, MLT840

Characteristic

Nº Heavy Parts	Nº OE
943167-U10	943167



Pin pivot

Suitable for:
MANITOU: MVT1340 MT-X732

Characteristic

Nº Heavy Parts	Nº OE
564678-U10	564678



Ukraine

Rivne city, Lane Robitnychyy, 6A

tel.: +38 067 36 36 487

tel.: +380 67 364 70 73

e-mail: info@heavy-parts.com

www.heavy-parts.com